







Specification of Suit Set (Blue)

S.N.	Parameters	Specification	Remarks
Main Fabric			
1	Material	Polyester (%)	70 % ± 10
		Wool (%)	30 % ± 10
2	Pattern	Woven	
3	Fabric Weight (GSM)	230 ± 10	
4	Width Cut table (Inch)	60 ± 2	
5	Dimensional Stability To Washing Shrinkage (%)	Warp- Maximum 2	
		Weft- Maximum 2	
6	Tensile Strength /Breaking Strength (N)	Warp- Minimum 550	
		Weft- Minimum 500	
7	Tear Strength (N)	Warp- Minimum 30	
		Weft- Minimum 25	
8	Pilling Resistance (500 Rubs)	4-5	
9	Color Fastness to light (20 or 40)	4-5	
10	Color Fastness to Rubbing	Dry- 4-5	
		Wet- 3-4	
15	Color Fastness to Washing	4-5	
16	Color	Blue	
17	Design	General two-button, single breast & Single	
18	Size	S, M, L & XL	
19	Product	As Per Sample	
Inner Fabric			
20	Material	100% Polyester (Taffeta)	
21	Pattern	Woven	
22	Fabric Weight (GSM)	80 ± 5	
23	Width Cut table (Inch)	60 ± 2	
24	Dimensional stability To washing Shrinkage (%)	Warp- Maximum 2	
		Weft- Maximum 2	
25	Color Fastness to light (20 or 40 AFU)	4-5	
26	Color Fastness to Rubbing	Dry- 4-5	
		Wet- 3-4	
27	Color Fastness to Washing	4-5	
28	Color	Blue	
29	Product	As Per Sample	
Polyfill Material			
30	Material	100% Polyester	
31	Gram per Sq Metre (GSM)	125 ± 5	
32	Colour	White	
33	Product	As per sample	
Sewing Thread			
34	Material	100% Spun Polyester-2ply	
35	Count	2 / 40	

36	Colour	Blue	
37	Product	As per sample	
Button -22L			
38	Material	Plastic	
39	Size (Ligne)	22 L (4 hole)	
40	Colour	Blue	
41	Product	As per sample	
Button -30L			
42	Material	Plastic	
43	Size	30L (4 hole)	
44	Colour	Blue	
45	Product	As per sample	
Interlining Fabric			
50	Material	100% Cotton	
51	Type	Fusible Interlining	
52	Colour	White	
53	Product	As per sample	
Zipper			
54	Material	100% Nylon Coil	
55	Zipper No	# 3	
56	Length (cm)	24 ± 1	
57	Colour	Blue	
58	Product	As per sample	
Waistband fastener buckle Set			
59	Material	Plated Steel	
60	Size (mm)	16x18 mm	
61	Colour	Steel	
62	Product	As per sample	
<p>Note: The required finished product to be provided by the supplier as per the measurements provided, Any health hazardous chemicals shouldn't be used in raw materials, Should be machine and hand washable in cold water, product should be free from needle marks, oil stain, any spots and holes.</p>			



Specification of Shirt

S.N.	Parameters	Specification	Remarks
1	Material	Cotton (%)	70 % ± 5
		Polyester (%)	30 % ± 5
2	Pattern	Woven	
3	Fabric Weight (GSM)	130 ± 5	
4	Width Cut table (Inch)	43 ± 2	
5	Dimensional stability To washing Shrinkage (%)	Warp- Maximum 2 Weft- Maximum 2	
6	Tensile Strength /Breaking Strength (N)	Warp- Minimum 450 Weft- Minimum 400	
7	Tear Strength (N)	Warp- Minimum 20 Weft- Minimum 15	
8	Pilling Resistance (500 Rubs)	4-5	
9	Color Fastness to light (20 or 40 AFU)	4-5	
10	Color Fastness to Rubbing	Dry- 4-5 Wet- 3-4	
11	Color Fastness to Washing	4-5	
12	Color	Pink Strip on White as per Sample	
13	Size	S, M, L & XL	
14	Type	Full Sleeve	
<u>Sewing Thread</u>			
15	Material	100% Spun Polyester-2ply	
16	Count	2/40	
17	Colour	White	
<u>Button</u>			
18	Material	Plastic	
19	Size	18L (4 hole)	
20	Color	White	
21	Product	As per sample	
<u>Main Label</u>			
22	Material	Satin	
23	Size L x W (inch)	2x1.5"	
24	Color	Red Printed	
25	Product	As per sample	
<u>Interlining Fabric</u>			
26	Material	100% Cotton	
27	Type	Non-Woven	
28	Colour	White	
29	Product	As per sample	

Specification of Leather Shoes

S.N.	Parameters	Specification	Remarks	
1	Material	Upper Leather	Full Grain Buffalo	
		Thickness(mm)	1.5± 0.1 mm	
		Tear Strength	Minimum 35N /mm	
		Water Absorption	Maximum 30%	
2	Outer Sole	Material	High Grade Rubber	
		Heel Thickness	25 ± 2 mm	
		Toe Thickness	6 ± 1 mm	
3	Mid Sole	Material	EVA	
		Thickness (mm)	2 ± 0.5 mm	
		Features	(Strong Bonding Between Outer sole and Midsole)	
4	Insole	Material	Plain Soft leather	
		Thickness (mm)	2 ±0.5 mm (Strong Bonding Between insole and Midsole)	
5	Tongue	Full Grain Buffalo		
6	Tongue Lining	Plain Soft leather		
7	Closure Type	Lace Up		
8	Lace Material	Nylon		
9	Lace Color	Black		
10	Lace Shape	Round		
11	Lace Tipping Size	20 ± 2mm		
12	Lace Diameter	5±1 mm		
13	Lace Eyelet Internal Diameter	6 ±1mm (3 hole)		
14	Lace Length (cm)	80 ±5cm		
15	Size	35 to 45		
16	Sewing Thread	3-ply Nylon		
17	Packing	The Shoe should be delivered in new, clean and dry condition in pairs suitably tied with laces.		
		Each Box should have a label printed name and trade mark of supplier, date of manufacture.		
18	Features	All the stitches must be seam sealed by an appropriate sealant.		
		Looks of shoe must be attractive.		
		Design and shape as per sample.		
		Shape of Toe Cap must be round		
19	Outer sole color	Black		
20	Standard	ISO or Equivalent		
21	Product/Design/Color/Shape	As per Sample		
22	Warranty	Minimum 1 year/provided by OEM whichever is greater		

Specification of Socks

S.N.	Parameters	Specification	Remarks	
1	Material	Cotton (%)	70 % ± 10	
		Polyester (%)	25 % ± 10	
		Spandex	5 % ± 2	
2	Pattern	Knitted		
3	Design	Plain Half		
4	Size	S/M/L/XL		
5	Color	Blue		
6	Features	Soft and Absorbency		
7	Product	As per Sample		

[Handwritten signatures and initials]

[Handwritten signature]

Specification Dhaka Topi

S.N.	Parameters	Specification	Remarks
1	Material	100 % Cotton	
2	Height (cm)	12.5 x 7 (± 0.5)	
3	Size	20 inch to 24 inch	
4	Colour	as Per sample	
5	Stitch per inch	10 to 13	
6	Features	Looking attractive as per sample	
7	Product	As per Sample	


[Handwritten signatures and initials]

[Handwritten notes: "L11", "ST R-1120", "STC"]

[Handwritten signature]

Specification of Beret Cap

S.N.	Parameters		Specification	Remarks
1	Outer Material	Material	100% Wool	
		Colour	Red (as per sample)	
2	Inner Material	Material	100 % cotton	
		Colour	Black	
		Colour Fastness to Rubbing	Dry - 4-5 Wet - 3-4	
3	Sweatband		A black colored nylon tape sweatband around the cap (100% Nylon)	
4	Adjusting ribbon		An adjusting ribbon threaded through the sweatbanding. (100% Nylon)	
5	Stiffener		Equipped with plastic stiffener on the left front for the attachment of organizational flashes and insignia.	
6	Eyelets		Two aluminum galvanized black colored eyelets on the right side of the cap (as per sample)	
7	Pattern		Nepali Army Pattern (as per sample)	
8	Weight		85 gm (\pm 10 gm)	
9	Washable		Fabric should be washable Machine and Hand in cold water.	
10	Color Fastness (Light-40 hours)		4-5	



~~Handwritten signature~~

Specification of Belt

S.N.	Parameters	Specification	Remarks
1	Material	100% Leather	
2	Width (mm)	36±1	
3	Length (inch)	52±0.5	
4	Thickness (mm)	3±1	
5	Pattern	Plain	
6	Colour	Black	
7	Buckle Material	Stainless Steel	
8	Locking Buckle Design	Single Hook Buckle	
9	Product	As per Sample	

[Handwritten signatures and scribbles]


Specification of Black Arm Band

S.N.	Parameters	Specification	Remarks	
1	Outer Fabric	Material	100 % Polyster , One side PU coated	
		Colour	Black	
		Colour Fastness to Rubbing	Dry - 4-5 Wet - 3-4	
		GSM	300 ± 20	
2	Inner Fabric	Material	100% Polyster (Moisture management Fabric)	
		Colour	Red	
		Colour Fastness to Rubbing	Dry - 4-5 Wet - 3-4	
		GSM	100 ± 10	
4	Velcro	Size	1 "	
		Material	Polyster with Urethane binder adhesive	
6	Letters	Letters	Unit Name (MP, सैनिक प्रहरी), as per sample below the logo	
		Type	Embroidery	
		Thread	White Silk Thread	
7	Design	Top part should be round (as per sample)		



Specification of Red Arm Band

S.N.	Parameters	Specification	Remarks	
1	Outer Fabric	Material	100 % Wool	
		Colour	Red	
		Colour Fastness to Rubbing	Dry - 4-5 Wet - 3-4	
		GSM	180 ± 10	
2	Inner Fabric	Material	70 % ± 5 Cotton , 30 % ± 5 Polyester	
		Colour	Red	
		Colour Fastness to Rubbing	Dry - 4-5 Wet - 3-4	
		GSM	120 ± 10	
3	Interlining Fabric	Material	100 % Cotton , Non woven	
4	Velcro	Size	1 "	
		Material	Polyester with Urethane binder adhesive	
5	Logo (Nepali Army)	Type	Embroidery	
		Thread	100 % Viscous Silk Thread	
		Design	Logo on Maroon Velvet Fabric at the top of arm band	
		Size	As per sample	
6	Letters	Letters	Unit Name (MP, सैनिक प्रहरी), as per sample below the logo	
		Type	Embroidery	
		Thread	Golden Silk Thread	
7	Design	Top part should be round (as per sample)		



\$
 7170
 216
 2
 2