










**Product Specification Of Red Ceremonial Hat**

S.N	Parameters	Specification	Remarks
1	Outer fabric material	Polyester 100%	
		Gsm : Min 200	
		Colour : Black	
		Woven twill fabric	
2	Inner fabric material	Cotton 100 %	
		Gsm : Min 150	
		Colour : Maroon	
		Woven velvet fabric	
3	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
4	Color fastness to light (after 20 & 40 AFU)	Min 4	
5	Tear Strength	Warp : Min 25N Weft : Min 20N	
6	Tensile Strength	Warp : Min 600N Weft : Min 450N	
7	Hat front inner material	Material : Plastic visor Middle height : 2 inch	
8	Hat Size	Height : 5 inch ± 0.5	
		Length of nylon hair : 15 inch ± 0.2	
		Length of brass plate : 6 inch ± 0.2	
		Shape of brass plate : As per sample	
		Front logo of brass : As per sample	
		Circumtance of hat : 62 cm ± 1cm	
9	Features	Hat must be free from major defects of fabric	
		Zari lace width 2.5cm & 1cm should be used on the hat as per sample	
		Nylon thread gether should used on the hat half side as per sample	
		1x round fabric belt with chain at chin webbed brass attached, width : 2 cm and Length : 14 inch ± 0.5	
		1x Brass nut button on the top of hat	
		Getther of duck feathersto adjust ( Furko) on hat	
		All trims should be used as per sample	
		Stitching should be min 8 Spi	
10	Pattern	Plain	
		white and yellow fether having iron, 4 inch of yellow fether and 8 inch of white fether height	
11	Design& Product	As per Sample	









**Product Specification Of Bullin**

S.N	Parameters	Specification	Remarks
1	Materials	100% brass (Small Brass Ring Webbed)	
2	Length	7"	
3	Lower Breadth	5.5"	
4	Upper Breadth	2.5"	
5	Design& Product	As per Sample	


*Handwritten signatures and initials:*  
 [Signature] y [Signature] [Signature] [Signature] [Signature]









**Product Specification Of Pant White Stetchable Breaches (NCE)**

S.N	Parameters	Specification	Remarks
1	Material	Cotton 95 % ± 2	
		Elastane 5 % ± 2	
		Knitted fabric	
2	Gram per sq meter (GSM)	Min 220	
3	Shrinkage percentage maximum	4	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to washing	4-5	
6	Pilling resistance	4-5	
7	Pattern	Knitted fabric	
8	Color	White	
9	Features	6 x Loop on the waist band in pant	
		Waist band inside : 3.5 cm stripe elastic as per sample	
		Waist band clousure with Metal Hook botton and top on stainless steel button	
		1 x Zipper no: 3 in zipper fly in pant white colour	
		Leg opening with binding fabric closure with velcro	
		1x Front pocket wearer right side with zipper closure	
		bar tack stitching on pant as per sample	
Main label must be attached in pant			
	Stitching should be min 8 Spi		
10	Size	S, M, L & XL As per requirements	
11	Design & Product	As per Sample	


*Handwritten signatures and initials:*  
 3 (with checkmark) [Signature] [Signature] [Signature] [Signature] [Signature]








**Product Specification Of Ceremonial saddle**

S.N	Parameters	Specification	Remarks
1	Material	100% Leather	
2	Steel plate	Stainless Steel as per sample	
3	Knee roll	Padded leather knee roll	
4	Seat	Deep padded soft leather seat	
5	Color	Black	
6	Style	English saddles	
7	Breast collar	Having Army Logo Monogram of Brass Double Straps having Brass buckle	
8	Cupper	100% Leather	
9	Wallets	Both side of saddle	
<b>Saddle Measurements</b>			
10	Gullet	10"± 0.5" Medium (Iron)	
11	Wide seat	Size 15"-18" Having 2 brass ring at left right side and 1 brass ring at back side	
12	Flap	15"±1"	
13	Ring	Brass bottom ring in front and back	
14	Belly hand	Length : 38" ± 0.5"	
		Width : 1.5"± 0.1"	
		Thickness : Minimum 3 mm	
		Loopi : Having brass buckle (2 inch length, 1.5 inch width and 3 mm thickness)	
15	Breast collar straps	Length : 30" ± 0.5"	
		Width : 0.7"	
		Thickness : Minimum 3 mm	
16	Cupper back strap	Length : 34" ± 0.5"	
		Width : 0.7"	
		Thickness : Minimum 3 mm	
		Brass buckle ( 2 inch length, 1.5 inch width and 3 mm thickness)	
17	Cupper	Length : 40 inch	
18	Wallets	Length : 8" ± 2 inch	
		Width : 6" ± 1 inch	
		Thickness : 25 ± 2 mm	
		Loopi : 2 brass buckle Having loopi in top cover	
19	Design & Product	As per Sample	

















**Product Specification Of Top Cover (Saddle Cover)**



S.N	Parameters	Specification	Remarks
1	Materials	100% Leather (White color)	
2	Length	33"	
3	Thickness	Minimum 3 inch	
4	Width	10 inch	
5	Colour	White	
6	Loopy	having the brass buckle 2 both side	
7	Brass button	12" rosette both side as per sample	
8	Design & Product	As per Sample	

 3  
     


**Product Specification Of Royal Marathon Team Harness**

S.N	Parameters	Specification	Remarks	
1	Material	100% leather		
	Thickness	Minimum 5 mm		
	Clip and ring	brass		
	Purpose	Heavy Breed horses		
	Head brider			Length 19±2 inch
				Width : 1.3 inch
				Thickness : Minimum 6 mm
				Feature : With brass clincer
	crowm	ring shape		
	Decorative rosettes	Minimum 40 mm		
	Throatlatch	23-25 inch length with brass buckle		
	Chick piece			length :24 inch ±1 inch
				width : Minimum 1 inch
		Feature : both side brass buckle		
Browband		Length : 19-22 inch		
		Width : Minimum 3 inch		
		Thickness : Minimum 12 mm		
		Feature both side having brass rosettes		

S.N	Parameters	Specification	Remarks
	Noseband	Length : 35-38 inch	
		Width : Minimum 0.9 inch	
		Thickness : Minimum 7 mm	
		Loopi : With brass buckle	
		Feature with brass cliner	
	Face piece	12 inch length having brass nepalese army logo	
	Blind	Length : 7"±1 inch	
		Width : 6"±1 inch	
		Thickness : Minimum 6 mm <b>Round shape brass monograme having nepalese army logo on brass border ( lengthX breadth=5X4 inch, 2 mm thickness)</b>	
	Design & Product	As per Sample	
2	Saddles/Back Band (chal)	Materials	100% leather
		length	28"±1 inch
		Width	6 inch ±0.5 inch
		Thickness	60-65 mm
		features	Inside 19 inch length and 3 inch from pad and mat cover by leather
		Clip and ring	Material : Brass
		features	Foam and mat sandwich as per sample With wide bearing surface, saddle is ideal for heavy
		Turret	Brass team pedestal
		Connector straps monogram	Length X Width : 15X1.5 inch and thickness minimum 3 mm both side nepalese army logo on brass border
		pad thickness	Minimum 6 mm
		Outer girth	Length 48 inch ±1 inch
			Width : 4 inch
			Thickness : Minimum 4 mm
			Loopi : 19 inch ±1 inch Feature : Having Brass buckle
			


*Handwritten signatures and initials:*  
 1. A large signature on the left, possibly "Khan".  
 2. A signature in the middle, possibly "Raj".  
 3. A signature on the right, possibly "S. K. Singh".

S.N	Parameters		Specification	Remarks
		copper back strap	Length 90 inch ±1 inch	
			Width : minimum 1.5 inch	
			Thickness : Minimum 4 mm	
			Crupper : 22 inch length having both side brass buckle	
		hold back	Length 76 inch ±1 inch	
			Width : 1 inch	
			Thickness : Minimum 5 mm	
			Design & Product	
3		Material	100% Leather	
4	Breastplate/Collar (Haaikal)	length	full 57-60 inch and 4 brass buckle lock 10 inch	
		width	4 inch	
		Wither Strap	padded and features fixed brass rein rings	
		Brake Strap	designed to support and balance the breastplate. Measuring 25 inch wide	
		Neck strap	Length 50 inch ±1 inch	
			Width : 1.1 inch	
		Retainer Straps	Thickness : Minimum 7 mm	
			Loopi : Brass buckle ( length x Width = 1.5x1.5 inch )	
		Trace strap	Feature : brass Army logo monogram	
			Material : Brass	
		Sina kadi (ring strap)	Length : 4 inch	
			Width : 2.5 inch	
		inner side	Thickness : Minimum 10 mm	
			Length : 3 inch	
Belly band	Width : 3 inch			
	inner side	mat		
Throat latch	buckle side-length 17 inch with brass buckles ( 1.5 inch *1.5 inch*10mm)			
	width	stripe side -length 32 inch with 3mm thickness		
Product	width	34 inch		
	Product	4 inch		
			As per Sample	
5	Breeching (Pachchha)	Breeching Seat	material	100% leather
			length	130 inch ±2 inch
			width	2-3 inch
			thickness	Minimum 10 mm
		Features	straps	brass
			Heel chain width	2 inch
			Trace Carry Straps length	9 to 16 inches
		Hip straps	length	55-57 inch
			loopy	Both side double brass buckle
				Design & Product

*Handwritten signatures and initials:*  
 1. A signature that appears to be "Rajiv" with a checkmark.  
 2. A signature that appears to be "Rajiv" with a checkmark.  
 3. A signature that appears to be "Rajiv" with a checkmark.  
 4. A signature that appears to be "Rajiv" with a checkmark.  
 5. A signature that appears to be "Rajiv" with a checkmark.



**Product Specification Of Leather Stirrup Strap**


S.N	Parameters	Specification	Remarks
1	Material	100% pure leather	
2	Breadth	1.25- 1.5 inch	
3	Length	50-60 inch	
4	Feature	Suitable with the given saddle specification	
5	Design & Product	As per Sample	

*Handwritten signature and scribbles on the left side of the page.*

*Handwritten signature and scribbles in the middle of the page.*


*Handwritten signature and scribbles on the right side of the page.*

**Product Specification Of Stirrup**

S.N	Parameters	Specification	Remarks
1	Material	Stainless steel	
2	Length	5 inch	
3	Width	4 inch	
4	Thickness	Minimum 3 mm	
5	Tread Material	Rubber	
6	Footbed Width	4.25" to 4.75"	
7	Feature	Ideal for all types of riding Suitable with the given saddle specification.	
8	Design & Product	As per Sample	


*[Handwritten signatures and initials]*  
 [Signature] [Signature] [Signature] [Signature] [Signature] [Signature] [Signature]

**Product Specification Of Inner girth**

S.N	Parameters	Specification	Remarks
1	Material	Leather or cloth	
2	Length	45-50 inch	
3	Width	4-6 inch	
4	Clips	Both side, made up of iron or stainless steel	
5	Feature	Both side buckle Suitable with the given saddle specification	
6	Design & Product	As per Sample	


*Handwritten signatures and notes:*  
 [Signature] [Signature] [Signature] [Signature]

**Product Specification Of Postallion saddle**

S.N	Parameters	Specification	Remarks
1	Materials	100% leather, iron brass, wood	
2	Gullet	10" ± 0.5"	
3	Wide seat	18" - 20" inch	
4	Flap length	18" ± 1" inch	
5	Steel plate	stainless steel rigid	
6	Knee roll	Padded leather Knee roll	
7	Seat	Deep Padded Soft Leather Seat	
8	Color	Black	
9	Style	postallion English Saddles	
10	Design & Product	As per Sample	


*Handwritten signatures and initials:*  
 [Signature] 7 [Signature] [Signature] [Signature] [Signature] [Signature]

**Product Specification Of All Purpose Saddle**

S.N	Parameters	Specification	Remarks
1	Materials	Wood, Iron & 100% Leather	
2	Steel plate	Stainless steel	
3	Knee roll	Padded leather Knee roll	
4	Seat	Deep Padded Soft Leather Seat	
5	Colour	Black	
6	Style	English Saddles	
7	Ring and Strap	Stainless steel	
<b>Saddle measurements</b>			
8	Gullet Length	6" ± 0.5"	
9	wide seat	15" - 18" having 2 x Brass ring at left and right side and 1 x Brass ring at backside	
10	Flap length	15" ± 1"	
11	Design & Product	As per Sample	


*7* ~~*Sham*~~ *Prakash*      *2* *2* *7*      *u*      *8* *19*

**Product Specification Of Saddle Pad**

S.N	Parameters	Specification	Remarks
1	Material	Poly-cotton blend/ soft padded cloth	
2	size	Topline (50-55 cm), Drop (51-56 cm) and Width (58-65 cm)	
3	Style	Dressage/AP	
4	Feature	Suitable with the given saddle specification	
5	Design & Product	As per Sample	


7 *Shams* *Q. Singh* *aw* *sw* *ey* *u* *Sh* *10*

**Product Specification Of Rein**

S.N	Parameters	Specification	Remarks
1	Material	100% Leather	
2	Length	8' -12'	
3	Width	1.25 - 1.5 inch	
4	Character	Quick release snaps and secure buckles adjust for length	
5	Seissor Snap	Nickle plated or Antique Copper	
6	Design & Product	As per Sample	

*3 Approved*      *Original*      *2/20/17*      *by*      *the*      *Supervisor*


**Product Specification Of Outer Girth**

S.N	Parameters	Specification	Remarks
1	Material	100% pure Leather	
2	Thickness	Minimum 3 mm	
3	Length	30-42 inch	
4	Width	2-4.5 inch	
5	Feature	1x Brass buckle Suitable with the given saddle specification	
6	Design & Product	As per Sample	

*7* ~~*Blame*~~ *(D.P. Singh)* *2* *21* *17* *11* *19* *19* *19*








**Product Specification Of Riding Stretchable Breaches (OG)**

S.N	Parameters	Specification	Remarks
1	Material	Polyester 95 % ± 2 Elastane 5 % ± 2 Knitted fabric	
2	Gram per sq meter (GSM)	Min 220	
3	Shrinkage percentage maximum	4	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to washing	4-5	
6	Pilling resistance	4-5	
7	Pattern	Knitted fabric	
8	Color	Olive Green	
9	Features	Pant must be free from major defects 6 x Loop on the waist band in pant Waist band inside : 3.5 cm stripe elastic as per sample Waist band clousure with metal Hook button and top on Brass button as per sample 1 x Zipper no: 3 in zipper fly in pant olive green colour Leg opening with binding fabric closure with velcro 2x Front pocket wearer right & left side with zipper closure bar tack stitching on pant as per sample Main label must be attached in pant Stitching should be min 8 Spi	
10	Size	S, M, L & XL As per requirements	
11	Design & Product	As per Sample	


*7 ~~gram~~*      *Q2248*      *2*      *2*      *7*      *cc*      *22*

**Product Specification Of Wheel Barrow**

S.N	Parameters	Specification	Remarks
1	Load Carrying Capacity	Minimum 80 kg	
2	Volume	Minimum 40 Liters	
3	Material	Mild steel	
4	Handle	Mild Steel with rubber grip	
5	Wheel	16" x 4.00-8 (Pneumatic wheel)	
6	Tray thickness	Minimum 6 mm	
8	Warrenty	Minimum 1 year	


*Handwritten signatures and initials:*  
7 ~~Signature~~    






**Product Specification Of Body Brush**

S.N	Parameters	Specification	Remarks
1	Feature	Comfortable soft hold grip back, web hand strap,	
2	Material	Base is of wood	
3	Brush material	Synthetic bristles	
4	Length	20-25 cm	
5	Width	8.5-10 cm	
6	Height	5.5-6.6 cm	
7	Stiffness	Medium stiffness bristles	
8	Design & Product	As per Sample	


~~7~~ ~~Sharma~~ *Prakash* *W* *J* *W* *W* *W* *W* *W*

**Product Specification Of Metal Curry Comb**

S.N	Parameters	Specification	Remarks
1	Material	Black coating steel & Wood	
2	Purpose	Remove hair from body brushes	
3	Size	18.5± 1 X6.8± 1 cm	
4	Teeth material	Metal teeth	
5	Teeth	Minimum 6 bar metal comb with teeth.	
6	Design& Product	As per Sample	


7 ~~Sham~~     

**Product Specification Of Pointed Daddle**

S.N	Parameters	Specification	Remarks
1	Materials	Wood, iron, leather	
2	Seat	Deep Padded Soft Leather Seat	
3	Colour	Brown	
4	Breast collar	100% Leather	
<b>Saddle measurements</b>			
5	Gullet	Material : Iron Length : 6" ± 0.5" (Medium)	
6	Wide seat	15" - 18" having 2 Brass ring at left and right side and 1 Brass ring at backside	
7	Flap	15" ± 1"	
8	Saddle kit to be included	Matching Bridle Reins and Girth	
9	Design & Product	As per Sample	


*7* *Shant* *Q.P.S.* *✓* *20* *7* *10* *12* *15*

**Product Specification Of Horse Robe**

S.N	Parameters	Specification	Remarks
1	Outer Material	100% Polyester inside PU Coated	
		Water repellency : Min 4	
		GSM : Min 80	
2	Inner Material	100% Polyester	
		GSM : Min 280	
3	Size	As per requirement	
4	Features	Blanket closer with buckle and adjustable leather belt	
5	Design& Product	As per Sample	

*7* ~~*Mount*~~ *Q.1.1.1* *2/26/2014* *ce* *ce* *ce*

**Product Specification Of Pony Saddle**


S.N	Parameters	Specification	Remarks
1	Materials	Wood, Metal & 100% Leather	
2	Plate	Stainless steel rigid	
3	Knee roll	Padded leather	
4	Seat	Deep Padded Soft Leather Seat	
5	Colour	Black	
6	Style	English Saddles	
<b>Saddle measurements</b>			
7	Gullet	Material : Metal	
		Size : 6" ± 0.5"	
8	Seat Width	15" - 18" (Medium)	
		2 x Brass ring at left and right side and 1x Brass ring at backside	
9	Flap	Material : Metal	
		Length : 15" ± 1"	
10	Design & Product	As per Sample	






*7* ~~*Shaw*~~ *Cheng* *✓* *✓* *7* *cc* *J* *✓*













**Product Specification Of Long Leather Boot (NCE)**

S.N		Parameters	Specification	Remarks
1	Upper leather	Materials	Buffalo 100% leather	
		Total Thickness	Minimum 3 mm	
		Color fastness on rubbing	Minimum 4 (Dry or wet)	
		Water Absorbtion Resistant	Maximum 60% in 2 hours	
2	Outer sole	Materials	Rubber sole	
		Thickness	Toe side : 2-3 mm, Heel side: 15-20 mm	
		Features	Light weight, antiskid, antifisiped, fuel, Acid, oil Resistant and shock Absorber	
3	Insole	Materials	Plain soft leather	
		Thickness	3mm	
		Features	Strong bonding between insole and outer sole	
4	Insocks	Materials	Pu laminated with Black polyester fabric	
		Features	Removable, Washable, Antifungal	
		Thickness	3 mm	
5	Size of Shoe		From 5 to 11 with medium and large fitting (As per Requirement)	
6	Sweing thread	Upper leather	Nylon thread, 3 ply	
		Sole sweing	Nylon thread, 3 ply	
7	Zipper		Out side of boots (As per sample)	
8	Button		Material: Brass	
			Number of Button: 3 Button lock (As per sample)	
9	Color of boot		Black	
10	Warranty		Minimum 2 year	
11	Design & Product		As per Sample	












**Product Specification Of Coat Red Cotton Ceremonial Dress**

S.N	Parameters	Specification	Remarks
1	Material	Polyester 35 % ± 5	
		Cotton 65 % ± 5	
		Woven plain fabric	
2	Gram per sq meter (GSM)	Min 200	
3	Shrinkage percentage maximum	3	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to washing	4-5	
6	Tear Strength	Warp : Min 25N Weft : Min 20N	
7	Tensile Strength	Warp : Min 500N Weft : Min 400N	
8	Pattern	Woven plain fabric	
9	Color	Red	
10	Collar & Sleeve Bottom	Material : Polyester 100%	
		GSM : Min 200	
		Colour : Green	
11	Features	Coat must be free from major defects of fabric	
		Lining fabric : Cotton & Nylon fabric should be used in coat	
		Front closure 6 x Nepal Army logo on brass button golden colour, Diameter : 25mm should be used in coat	
		Interling material should be used polyester inside which required as per sample	
		Zari lace golden colour width: 2cm and braided lace width : 5mm golden colour should be used as per sample	
		Shoulder inside felt/foam should be used in coat	
		All trims should be used as per sample Stitching should be min 8 Spi	
12	Size	S, M, L & XL as per requirement	
13	Design & Product	As per Sample	










**Product Specification Of Coat Red Woolen Ceremonial Dress**

S.N	Parameters	Specification	Remarks
1	Material	Wool 100% Woven Brushed fabric	
2	Gram per sq meter (GSM)	Min 200	
3	Shrinkage percentage maximum	3	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to light (after 20 & 40 AFU)	Min 4	
6	Color fastness to washing	4-5	
7	Tear Strength	Warp : Min 25N Weft : Min 20N	
8	Tensile Strength	Warp : Min 600N Weft : Min 450N	
9	Color	Red and Green	
10	Features	Coat must be free from major defects of fabric Lining fabric : Polycotton should be used in coat Front closure 6 x Nepal Army logo on brass button golden colour, Diameter : 25mm and 5 x button plastic four hole diameter : 10mm should be used in coat Sleeve bottom and collar back side contrast colour green self fabric should be used with polyester golden zari lace width: 2 cm and braided lace 5mm which is required in coat as per sample 6 x Hook metal button on both shoulder and 1x button plastic also 2 x Nepal Army logo on brass button golden colour, Diameter : 25mm in back side attached and 1x cut design Collar closure with hook button All trims should be used as per sample Stitching should be min 8 Spi	
11	Pattern	Plain brushed	
12	Size	S, M, L & XL as per requirement	
13	Design & Product	As per Sample	













**Product Specification Of Snaffle**

S.N	Parameters	Specification	Remarks
1	Materials	Stainless steel	
2	Mouthpiece Style	Snaffle	
3	Cheek Style	Round or D ring	
4	Ring Size/Shank Length	65mm ± 2mm	
5	Thickness	14mm - 18mm	
6	Design & Product	As per Sample	


*7* ~~Shank~~ *Q. 2.1.1* *2* *2* *2* *2* *2* *2* *2* *2*











**Product Specification Of Coat Red Woolen Ceremonial Dress(NCE)**

S.N	Parameters	Specification	Remarks
1	Material	Wool 100% Woven Brushed fabric	
2	Gram per sq meter (GSM)	Min 200	
3	Shrinkage percentage maximum	3	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to light (after 20 & 40 AFU)	Min 4	
6	Color fastness to washing	4-5	
7	Tear Strength	Warp : Min 25N Weft : Min 20N	
8	Tensile Strength	Warp : Min 600N Weft : Min 450N	
9	Color	Red and Black	
10	Features	Coat must be free from major defects of fabric Lining fabric : Polycotton should be used in coat Front closure 8 x Nepal Army logo on brass button golden colour, Diameter : 25mm Sleeve bottom and collar back side contrast colour black self fabric should be used with polyester golden zari lace width: 2 cm which is required in coat as per sample Collar closure with hook button All trims should be used as per sample Stitching should be min 8 Spi	
11	Pattern	Plain brushed	
12	Size	S, M, L & XL as per requirement	
13	Design & Product	As per Sample	













**Product Specification Of Cotton Ceremonial Dress (NCE)**

S.N	Parameters	Specification	Remarks
1	Material	Polyester 35 % ± 5	
		Cotton 65 % ± 5	
		Woven plain fabric	
2	Gram per sq meter (GSM)	Min 200	
3	Shrinkage percentage maximum	3	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to washing	4-5	
6	Tear Strength	Warp : Min 25N Weft : Min 20N	
7	Tensile Strength	Warp : Min 500N Weft : Min 400N	
8	Pattern	Woven plain fabric	
9	Color	Red	
10	Collar & Sleeve Bottom	Material : Polyester 100% Colour : Black	
11	Features	Coat must be free from major defects of fabric	
		Lining fabric : Polycotton fabric	
		6 x Brass button with Army logo front closure	
		Interlining material should be used polyester inside which required	
		Zari lace golden colour width: 2cm and 5mm should be used as per sample	
		Shoulder in side felt should be used	
		All trims should be used as per sample	
Stitching should be min 8 Spi			
12	Size	S, M, L & XL as per requirement	
13	Design & Product	As per Sample	

















**Product Specification Of Ceremonial Red Hat (NCE)**

S.N	Parameters	Specification	Remarks
1	Outer fabric material	Wool 100%	
		Gsm : Min 200	
		Colour : Red	
		Woven brushed fabric	
2	Inner Fabric material	Cotton 65 % ± 5	
		Polyester 35 % ± 5	
		Gsm : Min 120	
		Colour : Comouflage print	
		Woven plain fabric	
3	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
4	Color fastness to light (after 20 & 40 AFU)	Min 4	
5	Color fastness to washing	4-5	
6	Tear Strength	Warp : Min 25N Weft : Min 20N	
7	Tensile Strength	Warp : Min 600N Weft : Min 450N	
8	Hat front inner material	Material : Plastic visor	
		Middle height : 3 inch	
9	Hat Size	Height : 15.5 cm ± 1 cm	
		Circumance: 60 cm ± 1 cm	
10	Features	Hat must be free from major defects of fabric	
		Braided lace width 5mm should be used on the hat as per sample	
		3 Ply nylon thread gether should used on the hat half side as per sample	
		1x round fabric belt with lace attached, width : 1 inch and circumtance : 64 cm	
		All trims should be used as per sample	
		Stitching should be min 8 Spi	
11	Pattern	Plain	
12	Design & Product	As per Sample	


**Product Specification Chamar**








S.N	Parameters	Specification	Remarks
1	Material	Stainless Steel	
		Handle Length: 14 inch	
2	Top Material	Yak hair	
3	Tail length	25 Inch	
4	Color	White	
<b>Belt Leather</b>			
5	Material	100% Leather	
6	Total length	52 inch	
7	Width	1 inch	
8	Feature	With Joint Buckle	
9	Design& Product	As per Sample	



**Product Specification Of Broom (Amrisho)**

S.N	Parameters	Specification	Remarks
1	Material	Amrosho	
2	Length	Minimum 22"	
3	Diameter	Minimum 2.5 inch	
4	Broom Handle	Plastic	
5	Design & Product	As per Sample	


7 ~~Amr~~       

**Product Specification Of limestone (Chuna)**

S.N	Parameters	Specification	Remarks
1	Chemical formula	CaCO3 (calcium Carbonate)	
2	Packaging	Bag	
3	Packaging size	25-50 kg	
4	Color	White	
5	Grade	Feed	


*Handwritten notes and signatures:*  
Z ~~Shamant~~ (Signature) 2 20 24 W (Signature)





**Product Specification Of Fine! Liquid**

S.N	Parameters	Specification	Remarks
1	Type	Liquid	
2	Packing type	5 ltr bottale	
3	Application	Floor Cleaner	
4	Expire date	Minimum 1 year	
5	Product	As per Sample	


*[Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones across the bottom.]*

**Product Specification Of Tumbi Cover**

S.N	Parameters	Specification	Remarks
1	Materials	100% Leather	
2	Colour	White	
3	Size	Radius Minimum 18", Length Minimum 22"	
4	Features	3X Brass loopi (Min 15.5"X1")	
		12' Brass rosette both side as per sample	
5	Design & Product	As per Sample	


*Handwritten signatures and initials:*  
 7 ~~\_\_\_\_\_~~    

**Product Specification Of Finel Solid**

S.N	Parameters	Specification	Remarks
1	Type	Solid	
2	Packing type	Minimum 500 gram	
3	Expire date	Minimum 1 year	
4	Product	As per Sample	


*[Handwritten signatures and initials]*

**Product Specification Of Oil**

S.N	Parameters	Specification	Remarks
1	Materials	Mustard	
2	Type	Liquid	
3	Paeking type	Minimum 500 gram	
4	Expire date	Minimum 1 year	
5	Product	As per Sample	


*Handwritten signatures and initials:*  
A large signature on the left, followed by several initials and smaller signatures across the bottom of the page.



**Product Specification Of Shoe Tread**

S.N	Parameters	Specification	Remarks
1	Materials	Nylon -3 Ply	
2	TKt No.	40.00	
3	Color	Black	
4	Product	As per Sample	

*Handwritten signatures and marks:*  
A series of handwritten signatures and initials are present below the table. From left to right, they include: a signature that appears to be 'my', a signature that is heavily scribbled out, a signature that looks like 'D??/S', two checkmarks, a signature that looks like 'my', another signature, and a final signature on the far right.


**Product Specification Of Dendrite**

S.N	Parameters	Specification	Remarks
1	Material	Liquid	
2	Packing type	Minimum 1 Ltr	

*Handwritten notes and signatures:*  
my ~~Handwritten signature~~  ✓ set of the  2



Product Specification Of Tarpain Oil

S.N	Parameters	Specification	Remarks
1	Form	Luquid	
2	Packing type	Bottle	
3	Paking size	Minimum 1 Ltr	


*Handwritten signatures and initials:*  
7 ~~Handwritten~~ (Signature) (Signature) (Signature) (Signature) (Signature) (Signature) (Signature)





**Product Specification Of Power (For Colour)**

S.N	Parameters	Specification	Remarks
1	Form	Powder	
2	Colour	Golden Colour	
3	Packing type	Minimum 500 gm	
4	expiry date	minimum 1 yr	


*[Handwritten signatures and initials]*

**Product Specification Of Brasso**

S.N	Parameters	Specification	Remarks
1	Form	Liquid	
2	Packing Type	Minimum 450 ml	


7 ~~Handwritten~~    

**Product Specification Of Rein Strap**

S.N	Parameters	Specification	Remarks
1	Uses	Horse ring rein	
2	Width	1 inch	
3	Material	Nylon or Polyester	
4	Product	As per Sample	


*Handwritten signatures and initials:*  
7 ~~\_\_\_\_\_~~ (Signature) (Signature) (Signature) (Signature) (Signature) (Signature) (Signature)

**Product Specification Of Horse Riding Bridle set**

S.N	Parameters	Specification	Remarks
1	Material	100% leather	
		Thickness: Minimum 4 mm	
2	Bucklo	Brass metal	
		Thickness: 2 mm	
3	Head brider length	16-18 inch (With soft padded head piece )	
4	Throatlatch lenth	38±1 inch	
5	Short chick piece	8±1 inch	
6	Long chick piece lengt	11±1 inch	
7	Browband length	30±2 inch	
8	Curve Strape	Length 30±2 inch Width 1.25 inch	
9	Uses	For Riding sorese	
10	Product	As per Sample	


7
~~\_\_\_\_\_~~
(Signature)
✓
✓
y
u
(Signature)
(Signature)

**Product Specification Of Riding Helmet**

S.N	Parameters	Specification	Remarks
1	Material	Expanded Polystyrene (EPS) and PVC	
		Outer hard cover and inner liner soft padded cloth	
2	Size	Small (50-53 cm) and Medium (54-58 cm)	
3	Ventilation	Comfortable design with great ventilation	
4	Liner	Removable, washable comfort liner	
5	Chin Belt	Adjustable Nylon or PU leather harness with buckle and comfort chin padding	
7	Product	As per Sample	


*[Handwritten signatures and initials]*








**Product Specification Of Bucket**

S.N	Parameters	Specification	Remarks
1	Material	Stainless steel with big handle	
2	Thickness	1.5 mm	
3	Capacity/Volume	Minimum 15 ltr	

*Handwritten signatures and marks:*  
A large stylized signature, possibly "Rishabh", is written across the middle. To its right, there are several checkmarks and smaller signatures, including one that appears to be "S. K. Singh".


**Product Specification Of Horse Leg Bandage**










S.N	Parameters	Specification	Remarks
1	Materials	Polyester 100 %	
		Knitted fabric polar fleece	
2	GSM	Min 200	
3	Colour Fastness to Rubbing	Dry : Min 4 Wet: min 3	
4	Width	4" ± 0.1inch	
5	Length	70" ± 0.5 inch	
6	Feature	Bandage closure with velcro	
7	Colour	Red	
8	Product	As per Sample	




**Product Specification Of Pant Black Stretchable Breaches (NCE)**

S.N	Parameters	Specification	Remarks
1	Material	Cotton 95 % ± 2	
		Elastane 5 % ± 2	
		Knitted fabric	
2	Gram per sq meter (GSM)	Min 220	
3	Shrinkage percentage maximum	4	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to washing	4-5	
6	Pilling resistance	4-5	
7	Pattern	Knitted fabric	
8	Side seam tape zari lace size (mm)	25 ± 1	
		Colour: Golden	
9	Color	Black with golden strap	
10	Features	Pant must be free from major defects	
		6 x Loop on the waist band in pant	
		Waist band inside : 3.5 cm stripe elastic as per sample	
		Waist band clousure with metal Hook and top on stainless steel button	
		1 x Zipper no: 3 in zipper fly in pant black colour	
		Leg opening with binding fabric closure with velcro	
		1x Front pocket wearer right side with zipper closure	
		Side seam tape zari lace on pant	
		bar tack stitching on pant as per sample	
Main label must be attached in pant			
		Stitching should be min 8 Spi	
11	Size	S, M, L & XL As per requirements	
12	Design & Product	As per Sample	


**Product Specification Of Ceremonial Riding Bridle**

S.N	Parameters	Specification	Remarks
1	Materials	100% Leather	
2	Uses	For light breed (riding) Horse	
3	Head Bridle	Length 28 inch	
		Width 1 inch	
		Thickness Minimum 2 mm	
4	Brow Band	Length 18 inch	
		Breadth 1.2 inch	
		Thickness Minimum 2 mm	
		Feature Having brass clincer and both side rosette	
5	Throat latch	Length 40 inch	
		Width 1 inch	
		Thickness Minimum 3 mm	
		Loopi with brass buckle	
6	Nose band	Length 28 inch	
		Width 1.2 inch	
		Thickness 4 mm	
		Lazy straps brass	
		Feature Having brass clincer	
7	Short chick piece	Length 8" ± 0.5 inch	
		Width 1 inch	
		Thickness Minimum 2 mm	
		Loopi with brass buckle	
8	Long chick piece	Length 11" ± 1 inch	
		Width 1 inch	
		Thickness Minimum 2 mm	
		Loopi with brass buckle	
9	Design & Product	As per Sample	

*7* ~~*[Signature]*~~ *[Signature]* *[Signature]* *[Signature]* *[Signature]* *[Signature]*


**Product Specification Of Riding Spur**






S.N	Parameters	Specification	Remarks
1	Materials	Brass	
		Small ring padded chain	
2	Brass chain	Length: 10 inch	
		Width: 10 mm	
		Thickness minimum 2	
3	Heel band	Length: 14 inch	
		Width: 0.8 inch	
		Thickness minimum 1.5	
4	Rowel length	0.8 inch	
5	Feature	Black Leather Loopi with brass buckle	
		Uses: for riding horse	
6	Design & Product	As per Sample	




~~7~~
~~Q.P.S~~
~~2020~~
~~10/10/20~~
~~Page~~
~~10~~

**Product Specification Of ceremonial red hat feather**

S.N	Parameters	Specification	Remarks
1	Material	Dock feather	
2	White feather length	Minimum 8 inch	
3	Yellow feather length	Minimum 4 inch	
4	Adjust material	Brass	
5	Features	Brass inside feather and zari to hold feather from outside	
		Should be white and yello colour feather adjust as per sample	
6	Design & Product	As per Sample	








**Product Specification Of Ceremonial White hat feather**

S.N	Parameters	Specification	Remarks
1	Material	Dock feather	
2	White feather length	Minimum 8 inch	
3	Yellow feather length	Minimum 4 inch	
4	Adjust material	Brass	
5	Features	Brass inside feather and zari to hold feather from outside	
		Should be white and yello colour feather adjust as per sample	
6	Design & Product	As per Sample	


*7* ~~*Sharma*~~ *Original* *2* *Ad* *reg* *the* *Ge* *W*





**Product Specification Of Riding Bandage**

S.N	Parameters	Specification	Remarks
1	Material	Polyster 100%	
		Knited fabric polar fleecce	
2	GSM	Min 200	
3	Color fastness to rubbing	Dry Min 4 Wet ± Min 2	
4	Width	5"± Min 0.1 inch	
5	Length	70"± 0.5 inch	
6	Feature	Bandage closure with velcro	
7	Color	Blue	
8	Product	As per Sample	


*F. [Signature]*      *[Signature]*      *[Signature]*      *[Signature]*      *[Signature]*

**Product Specification Of Lance Keeping bag**

S.N	Parameters	Specification	Remarks
1	Material	100 % leather,	
2	Thickness	Minimum 4 mm	
3	Buckle lock	Brass as per sample	
4	Diameter of top hole	43 mm	
5	Design & Product	As per Sample	

3 ~~Bliss~~    


**Product Specification Of Creeze Keeping Bag**









S.N	Parameters	Specification	Remarks
1	Material	100% leather	
2	Thickness	3 mm	
3	Buckle material	Brass buckle	
4	Features	Leather loopi having brass button	
5	Size	As per Sample	
6	Design & Product	As per Sample	

*7* ~~\_\_\_\_\_~~ *(Signature)*      *2* *2* *7* *ck* *(Signature)*











**Product Specification Of Shoulder Aiguillette cord**

S.N	Parameters	Specification	Remarks
1	Material	Polyester 100% Braided cord round	
2	Diameter (mm)	7 ± 1	
3	Color	Cream with Maroon strip as per sample	
4	Length (inch)	30 ±0.2	
5	Features	Cord should be round & braided Aiguillette cord knot shape as per sample 2 Brass suera with Nepali Army logo length 11cm ±0.2 attached in cord as per sample	
6	Design & Product	As per Sample	

















**Product Specification Of Cross Leather Belt (Riding)**

S.N	Parameters	Specification	Remarks
1	Material	100 % Leather	
2	Color fastness to rubbing	Dry-Min 4, Wet- Min 4	
3	Thickness (mm)	3±0.2	
4	Pattern	Plain	
5	Color	Black	
6	Locking system	Brass buckle. as per sample	
7	Features	2x loop of leather	
		Buckle side attached (length 20 x width 8cm) As per sample	
		Leather loop (18 cm Length, 2.2 cm Width) At distance of 13 cm From Buckle With round ring and D ring attached to belt as per sample	
		Leather loop (80 cm Length, 3 cm Width) At distance of 37 cm From Buckle With round ring and D ring attached to belt as per sample	
		Brass buckle of leather belt	
8	Size L x W (cm)	117 ± 1 x 5 ±0.1	
9	Design & Product	As per Sample	















**Product Specification Of Pant Ceremonial White Stretchable Breaches (Riders)**

S.N	Parameters	Specification	Remarks
1	Material	Cotton 95 % ± 2	
		Elastane 5 % ± 2	
		Knitted fabric	
2	Gram per sq meter (GSM)	Min 220	
3	Shrinkage percentage maximum	4	
4	Color fastness to rubbing	Dry : Min 4 Wet : Min 3	
5	Color fastness to washing	4-5	
6	Pilling resistance	4-5	
7	Pattern	Knitted fabric	
8	Side seam tape fabric	3 ± 0.1	
9	size (cm)	Colour: Yellow	
10	Color	White	
11	Features	Pant must be free from major defects	
		6 x Loop on the waist band in pant	
		Waist band inside : 3.5 cm stripe elastic as per sample	
		Waist band clousure with Metal hook button and top on stainless steel button	
		1 x Zipper no. 3white colour zipper fly in pant	
		Leg opening with binding fabric closure with velcro as per sample	
		1x Front pocket at wearer right side with zipper closure	
		Side seam fabric yellow colour	
		bar tack stitching on pant as per sample	
12	Size	S, M, L & XL As per requirements	
13	Design & Product	As per Sample	









**Product Specification Of Long Leather Boot (Riding)**

S.N	Parameters	Specification	Remarks	
1	Upper leather	Materials	100% leather buffalo	
		Total Thickness	Minimum 3 mm	
		Color fastness on rubbing	Minimum 4 (Dry or wet)	
		Water Absorbion Resistant	Maximum 60% in 2 hours	
2	Loop straps	Materials	100% leather buffalo	
		Size	Length Minimum 6" and Width Minimum 1"	
		Thickness	Minimum 2 mm	
		Buckle	Brass (As per sample)	
		Number of Buckle	3	
3	Outer sole	Materials	sole leather (As per sample)	
		Thickness	Toe minimum 10 mm, Heel minimum 30 mm	
4	Insole	Materials	plain soft leather (As per sample)	
		Thickness	Minimum 2 mm	
		features	strong bonding between insole and outer sole	
5	Eyelet	Materials	Brass	
		Diameter of eyelets	8mm ± 1 mm	
		Number of eyelets	7 pair	
6	Tongue	Materials	100% leather buffalo	
		Total Thickness	Minimum 2 mm	
7	Lace	Material	Nylon Braided round	
		Diameter	5mm ± 1 mm	
		Tipping	Plastic (Min 15 mm ± 1 mm length)	
		Length	150 cm ± 5 cm	
8	Size of Shoe	from 5 to 11 with medium and large fitting (As per Requirement)		
9	Height of Boots	for size 5-7	17 inch	
		for size 8-10	18-19 inch	
		for size 11	19-20 inch	
10	upper leather	Nylon thread, 3 ply		
	sole swing	Nylon thread, 3 ply		
11	color of boot	black		
12	warranty	Minimum 2 year		
13	Design & Product	As per Sample		








**Product Specification Of Farrier's Rasp**

S.N	Parameters	Specification	Remarks
1	Materials	Iron	
2	Length	24 Inch	
3	Width	2 Inch	
4	Thickness	Minimum 3 mm	
5	Product	As per sample	


*7* ~~*[Signature]*~~ *[Signature]* *2/21/20* *[Signature]*

**Product Specification Of Sharpen Stone (Knife)**

S.N	Parameters	Specification	Remarks
1	Material	Sharpen Stone	
2	Dimention Lx Wx H	Minimum 18 cm x 2.5 cm x 2.5 cm	
3	Feature	Sharpen all type of of tools and knives.	
		Combination of fine and Medium Grit	
4	Product	As per Sample	


*7* ~~*man*~~ *(D?)* *2* *2* *of the* *the*

**Product Specification Of Black Polish**

S.N	Parameters	Specification	Remarks
1	Material tyep	Paste	
2	Packing type	Minimum 40 gram	
3	Color	Black	
4	Product	As per Simple	

*Handwritten signatures and initials:*  
7 ~~\_\_\_\_\_~~ (Signature) 2 (Signature) 4 (Signature) (Signature)


**Product Specification Of Red Polish**

S.N	Parameters	Specification	Remarks
1	Material tyep	Paste	
2	Packing type	Minimum 40 gram	
3	Color	Red	
4	Product	As per Simple	

*7* ~~*Gram*~~ *(K.P.S)* *2* *20* *5* *10* *15* *20*




**Product Specification Of Black Lather**

S.N	Parameters	Specification	Remarks
1	Materials	100% Leather	
2	Thickness	3-4 mm	
3	Colour	Black	
4	Width	Minimum 20 inch	
5	Colour Fastness to rubbing	Dry Minimum 4, wet minimum 3	
6	Product	As per Sample	


*[Handwritten signatures and initials]*

**Product Specification Of White Emulsion**

S.N	Parameters	Specification	Remarks
1	Physical sate	Liquid	
2	Packing type	Minimum 10 ltr	
		Plastic bucket	
3	Expire date	Minimum 1 year	
4	Product	As per Sample	

*7* ~~Grant~~ *Q. 1/8* *m* *Jo* *cy* *10* *10* *10* *10*

**Product Specification Of Flatten Cloth**

S.N	Parameters	Specification	Remarks
1	Materials	100% Cotton	
2	Width	Minimum 36 inch	
3	color	Morron/Brown	
4	Feature	Uses: Vehicle, Glass	
5	Design & Product	As per Sample	


*[Handwritten signatures and initials]*

**Product Specification Of Soap**

S.N	Parameters	Specification	Remarks
1	Type	Solid	
2	Packing Type	Minimum 200 gram	
3	Uses	Cloth Wash	

*[Handwritten signatures and initials]*

**Product Specification Of Horse Nail Killa**


S.N	Parameters	Specification	Remarks
1	Material	Hight quality stainless steel	
2	Feature	Rust Resistant sturdy structure flawless finishing	
		Uniformly tempered to give optimum elasticity Designed and formed to permit easy and accurate driving	
3	Length 1	2"	
4	Length 2	1.5"	
5	Product	As per Sample	

7 ~~Signature~~

*(Signature)*

*(Signature)* *(Signature)* *(Signature)* *(Signature)* *(Signature)*

**Product Specification Of Horse Shoe Iron**

S.N	Parameters	Specification	Remarks
1	Materials	Iron	
2	Thickness	Minimum 3.5mm	
3	Width	Minimum 19 mm	
4	Product	As per Sample	


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


**Product Specification Of Shoe Polish Liquid**

S.N	Parameters	Specification	Remarks
1	Material type	Liquid	
2	Packing type	minimum 75 ml	
3	Expire date	Minimum 1 year	
4	color	Black	
5	Design & Product	As per Sample	

*Handwritten signatures and initials:*

- Signature 1: *[Handwritten signature]*
- Signature 2: *[Handwritten signature]*
- Signature 3: *[Handwritten signature]*
- Signature 4: *[Handwritten signature]*
- Signature 5: *[Handwritten signature]*

**Product Specification Of Broom (Ningalo)**

S.N	Parameters	Specification	Remarks
1	Material	Statured bamboo	
2	Length	3 ft.	
3	No of stick	Minimum 100	
4	Broom Diameter	min 3"	
5	Stick Thickness	Minimum 1 mm	
6	Broom Handle	Plastic	
7	Design & Product	As per Sample	

7 *[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*