




Equipment for Horse Riding**Specification of Halter/Bridle (Large)**







S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Clip and ring	Stainless Steel	
3	Purpose	For Heavy Breed horses	
4	Head brider	16-18 inch (With soft padded headpiece)	
5	Throatlatch	38 inch \pm 1 inch	
6	Short chick piece	8 inch \pm 0.5 inch	
7	Long chick piece	11 inch \pm 1 inch	
8	Browband	30 inch \pm 2 inch	
9	Curve Strape	Length 30 inch \pm 2 inch and breadth 1.25 inch \pm 0.1 inch	

Specification of Halter/Bridle (Medium)


S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Clip and ring	Stainless Steel	
3	Purpose	For Light Breed horses	
4	Head brider	14 inch \pm 1 inch	
5	Throatlatch	36 inch \pm 1 inch	
6	Short chick piece	6 inch \pm 0.5 inch	
7	Long chick piece	9 inch \pm 1 inch	
8	Broband	28 inch \pm 2 inch	
9	Curve Strape	Length 28 inch \pm 2 inch and breadth 1.25 inch \pm 0.1 inch	

Specification of Halter/Bridle (Small)


S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Clip and ring	Stainless Steel	
3	Purpose	For Ponnies Breed horses	
4	Head brider	12 inch \pm 1 inch	
5	Throatlatch	34 inch \pm 1 inch	
6	Short chick piece	5 inch \pm 0.5 inch	
7	Long chick piece	8 inch \pm 0.5 inch	
8	Broband	26 inch \pm 2 inch	
9	Curve Strape	Length 26 inch \pm 2 inch and breadth 1.25 inch \pm 0.1 inch	


Specification of longe rein (Longing Rash)






S.N.	Parameter	Specifications	Remarks
1	Purpose	Attached to a halter to lead or guide the horse in a circle	
2	Length	9-11 meter	
3	Wide	1-1.5 inch	
4	Made up of	Nylon or cotton web	
5	Scissor snaps are made up	Stainless Steel	
6	Feature	Withstands moisture, sweat, mildew, rot, weather elements, and is UV resistant.	

Specification of Saddle


S.N.	Parameter	Specifications	Remarks
1	Material	100% Leather	
2	Stirrup	Stirrup Leathers Stirrup Irons	
3	Hardwares	Stainless Steel Hardware	
4	Knee roll	Padded Leather Knee Rolls	
5	Seat	Deep Padded Soft Leather Seat	
6	Color	Brown	
7	Style	English Saddles	
8	Breast collar	Leather made	
Saddle Measurements			
9	Gullet	6" ± 0.5" Medium	
10	Wide Seat	15" - 18"	
11	Flap	15" ± 1"	
12	Stirrup Leather Length	57" ± 1" , with 8-12 holes 1" apart	
13	Stirrup Iron Width	4.5" ± 0.5"	
14	saddle kit to be included	Matching bridle, Reins, and Girth.	

Specification of Bridle Rein (Lagam)


S.N.	Parameter	Specifications	Remarks
1	Material	100% Leather	
2	Length	8' -12'	
3	Width	1.25 inch - 1.5 inch	
4	Character	Quick release snaps and secure buckles adjust for length	
5	Scissor Snap	Nickle plated or Antique Copper	


Specification of Inner Girth or Cinch (*Bhitri patar*)

S.N.	Parameter	Specifications	Remarks
1	Material	Leather or cloth	
2	Length	42 inch to 45 inch	
3	Width	4 inch to 6 inch	
4	Clips	Both side , made up of stainless steel	
5	Back Cinch Material	100% pure Leather, Stainless Steel Fitting Hardware	
6	Feature	Compatible with the above mentioned Saddle	


Specification of Over Girth (*Bahiri patar*)

S.N.	Parameter	Specifications	Remarks
1	Material	100% pure Leather, Stainless Steel Fitting Hardware	
2	Length	96-102 inch	
3	Width	2-4.5 inch with buckles	
4	Material	100% pure Leather, Stainless Steel Fitting Hardware	
5	Feature	Compatible with the above mentioned Saddle	


Specification of Saddle pad

S.N.	Parameter	Specifications	Remarks
1	Material	Poly-cotton blend/ soft padded cloth	
2	Size	Topline (50-55 cm), Drop (51-56 cm) and Width (58-65 cm)	
3	Style	Dressage/AP	
4	Feature	Compatible with the above mentioned Saddle	

Specification of Stirrup Strap Leather (*Ricap duhal*)


S.N.	Parameter	Specifications	Remarks
1	Material	100% pure leather	
2	Breadth	1.25 to 1.5 inch	
3	Length	50 to 60 inch	
4	Feature	Compatible with the above mentioned Saddle	

Specification of Stirrup


S.N.	Parameter	Specifications	Remarks
1	Material	Stainless steel	
2	Tread Material	Rubber	
3	Footbed Width	4.25" to 4.75"	
4	Replacement Pads	Minimum 3 pairs	
5	Special Features	Ideal for all types of riding	
6	Feature	Compatible with the above mentioned Saddle	

[Handwritten signatures and notes at the bottom of the page]


Specification of Bits (Snaffle)

S.N.	Parameter	Specifications	Remarks
1	Material	Stainless steel	
2	Mouthpiece Style	Snaffle	
3	Cheek Style	Eggbutt or D ring	
4	Ring Size/Shank Length	65mm ± 2mm	
5	Thickness	14mm to 18 mm	


Specification of Water Bucket

S.N.	Parameter	Specifications	Remarks
1	Material	Stainless Steel	
2	Capacity/volume	Minimum 15 litre	
3	Thickness	1 to 1.5mm	
4	Warranty	Minimum 1 year/provided by OEM whichever is greater	


Specification of Wheel Barrow (Gada)


S.N.	Parameter	Technical Specification	Remarks
1	Load Carrying Capacity	Minimum 120kgs	
2	Volume	Minimum 60 Liters	
3	Material	Mild Steel	
4	Wheel	16"x4.00-8	
5	Tray Thickness	Minimum 1mm	
7	Warranty	Minimum 1 year	

Specification of Body Brush


S.N.	Parameter	Specifications	Remarks
1	Feature	Comfortable soft hold grip back, web hand strap	
2	Base Material	Wood	
3	Brush Material	Synthetic bristles	
4	Length	20 to 25 cm	
5	Breadth	8.5 to 10 cm	
6	Height	5.5 to 6.6 cm	
7	stiffness	Medium stiffness bristles	

Specification of Metal Brush (Metal Curry Comb)


S.N.	Parameter	Specifications	Remarks
1	Material	Black coating steel & Wooden handle	
2	Purpose	Remove hair from body brushes	
3	Size	(18cm x 7cm) ± 1cm	
4	Teeth material	Metal teeth	
5	Teeth	Minimum 6 bar metal comb with teeth.	




Specification of Rope

S.N.	Parameter	Specifications	Remarks
1	Material	Double braided nylon rope	
2	Thickness	1.5 to 2 inch	
3	Length	75 to 100 meter	
4	Breaking strength	Minimum 1000 Kg	


Specification of Bamboo Baskate


S.N.	Parameter	Specifications	Remarks
1	Material	Bamboo	
2	Diameter	15 - 22 inch	

Specification of Riding Helmate


S.N.	Parameter	Specifications	Remarks
1	Material	Outer high density ABS or Better, and Inner Liner soft Foam padded Cloth	
2	Size	Medium (54-58cm) and Small (50-53cm)	
3	Ventilation	Comfortable design with great ventilation	
4	Liner	Removable, washable comfort liner	
5	Visor	Soft, rubberized, low profile flexible visor	
6	Chin Belt	Adjustable Nylon or PU leather harness with buckle and comfort chin padding	
7	Standards	ISO or Equivalent	
8	Warranty	Minimum 2 years/provided by OEM whichever is greater	


Specification of Riding Breeches


S.N.	Parameter	Specifications	Remarks
1	Breech Material	Polyester 65% + Viscose 30% + Spandex 5%, Tolerance ± 10%	
2	Patch Material	Synthetic	
3	Type (Front Zip, Side Zip, Pull-on)	Front zip	
4	Rise	Low-rise/ mid rise	
5	Ankle Closure	Gripper elastic at ankle	
6	Pockets	yes	
7	Color	Tan/ Blue Black	
8	Length	40 inch to 44 inch	
9	Hip size	31 inch to 36 inch	
10	Tensile strength	Warp- Minimum 600N and Weft Minimum 500N	
11	Size	S, M, L and XL	





सैनिक इंकवाइन बडिङ सेन्टरमा रहेका घोडाघोडीलाई आवश्यक सामग्रीहरूको Specification








Product Specification of Rainboots (Water boot)			
S.N.	Parameter	Specification	Remarks
1	Material	Plastic or PVC	
2	Size	As per requirement	
3	Colour	Camouflage pattern	
4	Features	Flexible and durable sole, height not less than 350 mm	
5	Shape/ Design	As per Image	

Product Specification of Fabric Mask			
S.N.	Parameter	Specification	Remarks
1	Material	Cotton polyester blend	
2	GSM	160 ± 10	
3	Colour fastness to rubbing	Dry: Min 4 Wet: Min 3	
4	Colour	Black/ Brown	
5	Features	Ear straps elasticated Two layer mask	
6	Size	As per requirement	
7	Pattern	Knitted	
8	Design/Shape	As per Image	


Product Specification of Hand Gloves			
S.N.	Parameter	Specification	Remarks
1	Material	Rubber	
2	Sizes	Free size	
3	Features	Reusable type full finger	
4	Design/Shape	As per Image	

Product Specification of Large Size Nylon Mohda			
S.N.	Parameter	Specification	Remarks
1	Material	Nylon	
2	Buckle	Stainless steel hardware, adjustable nose buckle	
3	Facial crest	Minimum 11"	
4	Chin	Minimum 8.5"	
5	Cheek	Minimum 11"	
6	Crown	Minimum 30"	
7	Throat	Minimum 11"	
8	Gullet	Minimum 7"	
9	Nose circumference:	Minimum 27"	
10	Design/Shape	As per Image	


Product Specification of Medium Size Nylon Mohda			
S.N.	Parameter	Specification	Remarks
1	Material	Nylon	
2	Buckle	Stainless steel hardware, adjustable nose buckle	
3	Facial crest	Minimum 9.5"	
4	Chin	Minimum 8"	
5	Cheek	Minimum 9.5"	
6	Crown	Minimum 28"	
7	Throat	Minimum 9.5"	
8	Gullet	Minimum 6"	
9	Nose circumference:	Minimum 24.5"	
10	Design/Shape	As per Image	


Product Specification of Small Size Nylon Mohda

S.N.	Parameter	Specification	Remarks
1	Material	Nylon	
2	Buckle	Stainless steel hardware, adjustable nose buckle	
3	Facial crest	Minimum 8"	
4	Chin	Minimum 5.5"	
5	Cheek	Minimum 8"	
6	Crown	Minimum 25"	
7	Throat	Minimum 7"	
8	Gullet	Minimum 3.5"	
9	Nose circumference:	Minimum 19"	
10	Design/Shape	As per image	


Product Specification of Shoe Polish

S.N.	Parameter	Specification	Remarks
1	Material type	Paste	
2	Colour	Black and red (as per requirement)	
3	Packaging type	Minimum 40 gm	
4	Recommended brand	Bee, Kiwi, Cherry or equivalent	


Product Specification of wax

S.N.	Parameter	Specifications	Remarks
1	Material Type	Paste beewax	
2	Packaging Type	Min 500 gram with metal cover	


Specification of Horse Robe (Blanket)








S.N.	Parameter	Specifications	Remarks
1	Outer material	100% Polyester inside pu coated	
		Gsm : Min 80	
		Water repellency : Min 4	
2	Inner material	Polyester cotton blend breathable fur	
3	Size (inch)	Small : 40"-50"	
		Medium : 65"-75"	
		Large : 80"-90"	
4	Features	Double buckle front closure	
		Adjustable leg straps	
		Tail flap	
5	Design	As per image	

Specification of Cotton Rope

S.N.	Parameter	Specifications	Remarks
1	Material	100% Cotton	
2	Diameter	15-20 mm	
3	Ply	Min 3	
4	Design	As per image	


Product Specification of Broom (kucho)

S.N.	Parameter	Specifications	Remarks
1	Material	Coconut sticks or staturated bamboo	
2	Length	2-3 feet	
3	Stick thickness	Minimum 1 mm	
4	Product	As per image	










Equipment for Horse Farrier


Specification of Leather Farrier's Apron

S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Features	Extra protection inside the thighs	
		Knife pockets	
		Nail magnets	
		Adjustable waist and legs	
		Heavy plastic clip buckles	
3	Color	Tan	
4	Length	22 inch to 24 inch	


Specification of Mustad Premium Nipper

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Size	14-18 inch	
3	Tip	Sharp	
4	Purpose	Nail cut, pull nail	
6	Waranty	Minimum 1 year/provided by OEM whichever is greater	


Specification of Long Shoe Puller Stainless Steel

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Size	18-20 inch	
3	Feature	Drop forged and oil tempered	
4	Tip	Sharp	
5	Purpose	Shoe Puller Stainless Steel	
7	Waranty	Minimum 1 year/provided by OEM whichever	


Specification of Hoof Rasp for Horse Farrier

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	35 cm to 45 cm	
3	Handle:	Plastic/Wood	
4	Type	A, B and C all	

Specification of Hammer


S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	32-45 cm	
3	Handle	Plastic/Wood and steel shaft	
4	Weight	350-500 gram	

Specification of Small Hammer


S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	12 - 18 cm	
3	Handle:	Stainless Steel/ Wooden	
4	Weight	150-300 gram	




Specification of Hand Grinding Machine

S.N.	Parameter	Technical Specification	Remarks
1	Disc Diameter	Minimum 4 Inch	
2	Input	210V & 50 Hz	
3	Power	Minimum 800 Watt	
4	Speed	Minimum 1100 RPM	
6	Warranty	Minimum 1 year/ provided by OEM whichever is greater	


Specification of Grinding Wheel

S.N.	Parameter	Specification	Remarks
1	Types	Wheel, Compatible with above mentioned Hand Grinding Machine	
2	Diameter	4 inch	
3	Purpose	For roughening coatings and concrete as well as stripping sintered layers. Also for removing compounds on floorboards.	


Specification of Hoof knife

S.N.	Parameter	Specification	Remarks
1	Types	double side hoof knife, left sided and right sided	
2	Material	Stainless steel, Razor Edge Blade	
3	Handle	Wood	
4	Blade length	3-4 inch	
5	Length	8-10 Inch	


Specification of Vash

S.N.	Parameter	Specification	Remarks
1	Types	Ferrior	
2	Material	Harden Iron	
3	Length	15.5-16.5 Inch	


Specification of buffer/ Clinch Cutter

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	6-8 inch	
3	Uses	Left hand and left hand	
4	Sharpness	Sharp and durability	

Specification of Chisel


S.N.	Parameter	Technical Specification	Remarks
1	Material	Hard Iron	
2	Length	8-10inch	
3	Shape	Rectangular shaft	
4	Handle	Plastic or Wooden Handle	

Specification of Knife sharpen Stone


S.N.	Parameter	Technical Specification	Remarks
1	Material	Natural Stone/ Unbrakeble	
2	Feature	Sharpen your kitchen knife with ease Combination of fine and Medium Grit	
3	Dimention	Length more than 18 cm and hight more than 2.5 cm	

Handwritten signatures and initials at the bottom of the page.


Specification of Sharp Iron rod

S.N.	Parameter	Technical Specification	Remarks
1	Material	Hard Iron/ steel (Compact and durable)	
2	Length	Minimum 11 inch	
3	Feature	Sharp edge in one side	


Specification of Hair clippers

S.N.	Parameter	Technical Specification	Remarks
1	Material	Good quality Plastic shaft, aluminum	
2	Blade width	3"-5"	
3	Power cable length	minimum 4 meters	
4	Vibration	minimum 2.5 m/s	
5	Voltage	2020 V, 50 Hz	
6	Power	Minimum 690 W	
7	Speed Range	700 to 3000 strokes per minute	
8	No-load RPM	Minimum 2400r/min	
9	Spare parts	Blade of different size	
10	Standard	ISO or Equivalent	
11	Warranty	Minimum 2 years/provided by OEM whichever is greater	

Specification of Horse Clipping Machine's Blade

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Blade width	3"-5"	
3	Types	Compatible with above mentioned Clipping Machine	

Specification of Pincher

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel/ Iron	
2	Length	Minimum 6 inch	
3	Properties	Hard and unable to bend	

