



Equipment for Horse Riding


Specification of Halter/Bridle (Large)

S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Clip and ring	Stainless Steel	
3	Purpose	For Heavy Breed horses	
4	Head brider	16-18inch (With soft padded headpiece)	
5	Throatlatch	38 inch \pm 1 inch	
6	Short chick piece	8 inch \pm 0.5 inch	
7	Long chick piece	11 inch \pm 1 inch	
8	Browband	30 inch \pm 2 inch	
9	Curve Strape	Length 30 inch \pm 2 inch and breadth 1.25 inch \pm 0.1 inch	

Specification of Halter/Bridle (Medium)


S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Clip and ring	Stainless Steel	
3	Purpose	For Light Breed horses	
4	Head brider	14 inch \pm 1 inch	
5	Throatlatch	36 inch \pm 1 inch	
6	Short chick piece	6 inch \pm 0.5 inch	
7	Long chick piece	9 inch \pm 1 inch	
8	Browband	28inch \pm 2 inch	
9	Curve Strape	Length 28 inch \pm 2 inch and breadth 1.25 inch \pm 0.1 inch	

Specification of Halter/Bridle (Small)


S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Clip and ring	Stainless Steel	
3	Purpose	For Ponnies Breed horses	
4	Head brider	12 inch \pm 1 inch	
5	Throatlatch	34 inch \pm 1 inch	
6	Short chick piece	5 inch \pm 0.5 inch	
7	Long chick piece	8 inch \pm 0.5 inch	
8	Browband	26 inch \pm 2 inch	
9	Curve Strape	Length 26 inch \pm 2 inch and breadth 1.25 inch \pm 0.1 inch	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller initials and marks on the right.


Specification of longe rein (Longing Rash)

S.N.	Parameter	Specifications	Remarks
1	Purpose	Attached to a halter to lead or guide the horse in a circle	
2	Length	9-11 meter	
3	Width	1-1.5 inch	
4	Material	Nylon or cotton web	
5	Scissor snaps are made	Stainless Steel	
6	Feature	Withstands moisture, sweat, mildew, rot, weather elements, and is UV resistant.	

Specification of Saddle


S.N.	Parameter	Specifications	Remarks
1	Material	100% Leather	
2	Stirrup	Stirrup Leathers Stirrup Irons	
3	Hardwares	Stainless Steel Hardware	
4	Knee roll	Padded Leather Knee Rolls	
5	Seat	Deep Padded Soft Leather Seat	
6	Color	Brown	
7	Style	English Saddles	
8	Breast collar	Leather made	
Saddle Measurements			
9	Gullet	6" ± 0.5" Medium	
10	Wide Seat	15" - 18"	
11	Flap	15" ± 1"	
12	Stirrup Leather Length	57" ± 1", with 8-12 holes 1" apart	
13	Stirrup Iron Width	4.5" ± 0.5"	
14	Saddle kit to be included	Matching bridle, Reins, and Girth.	


Specification of Bridle rein (Lagam)

S.N.	Parameter	Specifications	Remarks
1	Material	100% Leather	
2	Length	8' -12'	
3	Width	1.25inch - 1.5 inch	
4	Character	Quick release snaps and secure buckles adjust for length	
5	Scissor Snap material	Nickle plated or Antique Copper	


Specification of Inner Girth or Cinch (Bhitri patar)

S.N.	Parameter	Specifications	Remarks
1	Material	Leather or cloth	
2	Length	42 inch to 45 inch	
3	Width	4 inc to 6 inch	




4	Clips	Both side , made up of stainless steel	
5	Back cinch Material	100% pure Leather, Stainless Steel Fitting Hardware	
6	Feature	Compatible with the above mentioned Saddle	


Specification of Over Girth (Bahiri patar)

S.N.	Parameter	Specifications	Remarks
1	Material	100% pure Leather, Stainless Steel Fitting Hardware	
2	Length	96-102 inch	
3	Width	2-4.5 inch with buckles	
5	Feature	Compatible with the above mentioned Saddle	


Specification of Saddle pad

S.N.	Parameter	Specifications	Remarks
1	Material	Poly-cotton blend/ soft padded cloth	
2	Size	Topline (50-55 cm), Drop (51-56 cm) and Width (58-65 cm)	
3	Style	Dressage/AP	
4	Feature	Compatible with the above mentioned Saddle	


Specification of Stirrup strap leather (Ricap duhal)

S.N.	Parameter	Specifications	Remarks
1	Material	100% pure leather	
2	Breadth	1.25 to 1.5 inch	
3	Length	50 to 60 inch	
4	Feature	Compatible with the above mentioned Saddle	

Specification of stirrup


S.N.	Parameter	Specifications	Remarks
1	Material	Stainless steel	
2	Tread Material	Rubber	
3	Footbed Width	4.25" to 4.75"	
4	Replacement Pads	Minimum 3 pair	
6	Special Features	Ideal for all types of riding	
7	Feature	Compatible with the above mentioned Saddle	

Specification of Bits (Snaffle)


S.N.	Parameter	Specifications	Remarks
1	Material	Stainless steel	
2	Mouthpiece Style	Snaffle	
3	Cheek Style	Eggbutt or D ring	
4	Ring Size/Shank Length	65mm ± 2mm	
5	Thickness	14mm to 18 mm	

[Handwritten signatures and notes]


Specification of Water bucket

S.N.	Parameter	Specifications	Remarks
1	Material	Stainless steel	
2	Capacity/volume	Minimum 15 litre	
3	Thickness	1 to 1.5 mm	
4	Warranty	Minimum 1 Year/provided by OEM whichever is greater	


Specification of Wheel Barrow (Gada)

S.N	Parameter	Technical Specification	Remarks
1	Load Carrying Capacity	Minimum 120kgs	
2	Volume	Minimum 60 Liters	
3	Material	Mild Steel	
4	Wheel	16"x4.00-8	
5	Tray thickness	Minimum 1mm	
6	Standards	ISO or Equivalent	
7	Warranty	Minimum 1 year	


Specification of Body brush


S.N.	Parameter	Specifications	Remarks
1	Feature	Comfortable soft hold grip back, web hand strap	
2	Base Material	Wood	
3	Brush material	Synthetic bristles	
4	Length	20 to 25 cm	
5	Breadth	8.5 to 10 cm	
6	Height	5.5 to 6.6 cm	
7	Stiffness	Medium stiffness bristles	

Specification of Metal brush (Metal Curry Comb)


S.N.	Parameter	Specifications	Remarks
1	Material	Black coating steel & Wooden handle	
2	Purpose	Remove hair from body brushes	
3	Size	(18 cm x 7 cm) ± 1 cm	
4	Teeth Material	Metal teeth	
5	Teeth	Minimum 6 bar metal comb with teeth.	

Specification of Rope


S.N.	Parameter	Specifications	Remarks
1	Material	Double braided nylon rope	
2	Thickness	1.5 to 2 inch	
3	Length	75 to 100 meter	
4	Breaking strength	Minimum 1000 Kg	




Specification of Bamboo basket

S.N.	Parameter	Specifications	Remarks
1	Material	Bamboo	
2	Diameter	15 - 22 inch	

Specification of Riding Helmets

S.N.	Parameter	Specifications	Remarks
1	Material	Outer high density ABS or Better, and Inner Liner soft Foam padded Cloth.	
2	Size	Medium (54-58 cm) and Small (50-53 cm)	
3	Ventilation	Comfortable design with great ventilation	
4	Liner	Removable, washable comfort liner	
5	Visor	Soft, rubberized, low profile flexible visor	
6	Chin Belt	Adjustable Nylon or PU leather harness with buckle and comfort chin padding	
7	Standards	ISO or Equivalent	
8	Warranty	Minimum 2 years/provided by OEM whichever is greater	


Specification of Riding Breeches

S.N.	Parameter	Specifications	Remarks
1	Breech Material	Polyester 65 % + Viscose 30 % + Spandex 5%, Tolerance ± 10%	
2	Patch Material	Synthetic	
3	Type (Front Zip, Side Zip, Pull-on)	Front zip	
4	Rise	Low-rise/ mid rise	
5	Ankle Closure	Gripper elastic at ankle	
6	Pockets	yes	
7	Color	Tan/ Blue Black	
8	Length	40 inch to 44 inch	
9	Hip size	31 inch to 36 inch	
10	Tensile strength	Warp- Minimum 600 N and Weft Minimum 500 N	
11	Size	S, M, L and XL	


[Handwritten signatures and initials]

Equipment for Horse Farrier


Specification of Leather Farrier's Apron

S.N.	Parameter	Technical Specification	Remarks
1	Material	100% leather	
2	Features	Extra protection inside the thighs	
		Knife pockets	
		Nail magnets	
		Adjustable waist and legs	
		Heavy plastic clip buckles	
	Durable, with adjustable belt and leg straps.		
3	Color	Tan	
4	Length	22 inch to 24 inch	


Specification of Mustad Premium Nipper


S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Size	14-18 inch	
3	Tip	Sharp	
4	Purpose	Nail cut, pull nail	
5	Standard	ISO or Equivalent	
6	Waranty	Minimum 1 year/provided by OEM whichever is greater	

Specification of Long Shoe Puller Stainless Steel


S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Size	18-20 inch	
3	Feature	Drop forged and oil tempered	
4	Tip	Sharp	
5	Purpose	Shoe Puller Stainless Steel	
6	Standard	ISO or Equivalent	
7	Waranty	Minimum 1 year/provided by OEM whichever is greater	

Specification of Hoof Rasp for Horse Farrier


S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	35 cm to 45 cm	
3	Handle:	Plastic/Wood	
4	Type	A, B and C	
5	Standard	ISO or Equivalent	




Specification of Hammer

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	32-45 cm	
3	Handle	Plastic/Wood and steel shaft	
4	Weight	350-500 gram	


Specification of Small Hammer

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	12 - 18 cm	
3	Handle:	Stainless Steel/ Wooden	
4	Weight	150-300 gram	


Specification of Hand Grinding Machine


S.N	Parameter	Technical Specification	Remarks
1	Disc Diameter	Minimum 4 Inch	
2	Input	210V & 50 Hz	
3	Power	Minimum 800 Watt	
4	Speed	Minimum 11000 RPM	
5	Standard	ISO or equivalent	
6	Warranty	Minimum 1 year/ provided by OEM whichever is greater	

Specification of Grinding Wheel


S.N.	Parameter	Specification	Remarks
1	Types	Wheel, Compatible with above mentioned Hand Grinding Machine	
2	Diameter	4 inch	
3	Purpose	For roughening coatings and concrete as well as stripping sintered layers. Also for removing compounds on floorboards.	
4	Standard	ISO or equivalent	

Specification of Hoof knife


S.N.	Parameter	Specification	Remarks
1	Types	Double side hoof knife, left sided and right sided	
2	Material	Stainless steel, Razor Edge Blade	
3	Handle	Wood	
4	Blade length	3-4 inch	
5	Length	8-10 Inch	
6	Standard	ISO or equivalent	




Specification of Vash

S.N.	Parameter	Specification	Remarks
1	Types	Ferrior	
2	Material	Harden Iron	
3	Length	15.5-16.5 Inch	
4	Standard	ISO or equivalent	


Specification of buffer/ Clinch Cutter

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Length	6-8 inch	
3	Uses	Left hand and left hand	
4	Sharpness	Sharp and durability	
5	Standard	ISO or equivalent	


Specification of Chisel

S.N.	Parameter	Technical Specification	Remarks
1	Material	Hard Iron	
2	Length	8-10inch	
3	Shape	Rectangular shaft	
4	Handle	Plastic or Wooden Handle	
5	Standard	ISO or equivalent	


Specification of Knife sharpen Stone


S.N.	Parameter	Technical Specification	Remarks
1	Material	Natural Stone/ Unbreakable	
2	Feature	Sharpen Knife Combination of fine and Medium Grit	
3	Dimention	Length more than 18 cm and hight more than 2.5 cm	
4	Standard	ISO or equivalent	

Specification of Sharp Iron rod

S.N.	Parameter	Technical Specification	Remarks
1	Material	Hard Iron/ steel (Compact and durable)	
2	Length	Minimum 11 inch	
3	Feature	Sharp edge in one side	


Specification of Hair clippers

S.N.	Parameter	Technical Specification	Remarks
1	Material	Good quality Plastic shaft, aluminum	
2	Blade width	3"-5"	
3	Power cable length	Minimum 4 meters	
4	Vibration	Minimum 2.5 m/s	
5	Voltage	220 V, 50 Hz	




6	Power	Minimum 690W	
7	Speed Range	700 to 3000 strokes per minute	
8	No-load RPM	Minimum 2400r/min	
9	Spare parts	Blade of different size	
10	Standard	ISO or Equivalent	
11	Warranty	Minimum 2 years/provided by OEM whichever is greater	

Specification of Horse Clipping Machine's Blade

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel	
2	Blade width	3"-5"	
3	Types	Compatible with above mentioned Clipping Machine	

Specification of Pincher

S.N.	Parameter	Technical Specification	Remarks
1	Material	Stainless steel/ Iron	
2	Length	Minimum 6 inch	
3	Properties	Hard and unable to bend	
4	Standard	ISO or Equivalent	

