

Specification of Mini Gas Welding Torch

S.N.	Parameters	Technical Specification	Remarks
1	Types	Welding Torch	
2	gas torch burner Hose	Explosion-proof hose	
3	Function 2	gas brazing torch	
4	Welding Capacity	Soldering, Brazing, Welding	
5	Feature	gas torch burner	
6	including	5 types Brass torch nozzle	

Specification of Spring (Tuba)

S.N.	Parameters	Technical Specification	Remarks
1	Outside Diameter	18mm	
2	Free Length	59mm	

Specification of Spring (Euphonium)

S.N.	Parameters	Technical Specification	Remarks
1	Diameter	18 mm	
2	Length	48 mm	

Specification of Spring (Trumpet)

S.N.	Parameters	Technical Specification	Remarks
2	Diameter (ends)	8.6 mm	
3	Diameter (center)	10.5 mm	
4	Length	43 mm	

Specification of Bass Drum Stick

S.N.	Parameters	Technical Specification	Remarks
1	Diameter	110 mm	
2	Weight	210 gm±10gm	
4	Handle Material	Brass/wood	
5	Length	12 Inch± 2 Inch	
6	Color	White /Black	
7	Material	Wood	

Specification of Side Drum Stick

S.N.	Parameters	Technical Specification	Remarks
1	Unit weight	90 gm ±5 gm	
2	Size	(14.8 × 4.6 mm), (14.3 × 393 mm)	
3	Material:	Maple/ Wood	
4	Head	Water drop triangle mallet	

Specification of Soprano Saxophone Reed

S.N.	Parameters	Technical Specification	Remarks
1	Reed type	Soprano saxophone	
2	Reed strength	1.5	
3	Material	Bamboo	
4	Size	3 or 3 & half	
5	Contents (pieces)	10	

Specification of Tenor Saxophone Reed

S.N.	Parameters	Technical Specification	Remarks
1	Item Weight	0.8 ounces	
2	Product Dimensions	1.5 x 2 x 5 inches	
3	Size	3 or 3 & half	
4	Instrument Key	Bb	

Specification of Baritone Saxophone Reed

S.N.	Parameters	Technical Specification	Remarks
1	Item Weight	0.8 ounces ±0.1	
2	Product Dimensions	1.5 x 2 x 5 inches	
4	Instrument Key	Eb	
5	Size	3 or 3 & half	

Specification of Alto Saxophone Reed

S.N.	Parameters	Technical Specification	Remarks
1	Item Weight	22.7 gm ± 2 gm	
2	Product Dimensions	2.9 x 6.0 x 11.1 cm	
3	Material Type	Bamboo	
4	Size	3 or 3 & half	

Specification of Bassoon Reed

S.N.	Parameters	Technical Specification	Remarks
1	Shaper Form	Thunemann	
2	Length of Scrape	28.0 mm ±2 mm	
5	Size	3 or 3 & half	

Specification of Oboe Reed

S.N.	Parameters	Technical Specification	Remarks
1	Length	72 mm±2mm	
2	Length before Cutting	75 mm±2mm	
3	Center Thickness	0.30 - 0.32	
4	Thickness	57 - 58	
5	Length of Scrape	10.25 - 10.5 mm	
6	Staple	Actus, 47 mm	
7	Diameter	10.0 - 10.5 mm	

Specification of Bb Clarinet Reed

S.N.	Parameters	Technical Specification	Remarks
1	Instrument	Bb Clarinet	
2	Strength	2	
3	Quantity	10-pack	
4	Size	3 or 3 & half	

Specification of tenor saxophone pads

S.N.	Parameters	Technical Specification	Remarks
1	Body Material	Sheep Leather	
2	Surface Material	wool/ woolen cloth	
3	Color	brown	
4	Net Weight	72gm ± 5 gm	
5	Package Dimensions (L*W*H)	120*100*110 MM / 4.7*3.9*4.3 Inches	
6	Quantity	25 Pieces	
7	Package Include	2 x pad (diameter 52 mm) 1 x pad (diameter 48 mm) 2 x pad (diameter 44 mm) 2 x pad (diameter 42 mm) 1 x pad (diameter 40 mm) 3 x pad (diameter 38 mm) 1 x pad (diameter 36 mm) 1 x pad (diameter 34 mm) 3 x pad (diameter 30 mm) 1 x pad (diameter 28 mm) 4 x pad (diameter 20 mm) 2 x pad (diameter 18 mm) 2 x pad (diameter 9 mm)	

Specification of tenor saxophone pads

S.N.	Parameters	Technical Specification	Remarks
1	For Instrument	Baritone Saxophone	
2	Skill Level	Professional	
3	Color	Black	
4	Set Includes	Bag	
5	Material	Leather	

Specification of Bb Clarinet pads

S.N.	Parameters	Technical Specification	Remarks
1	Package Include	3pcs diameter 17.3mm pads, 1pc diameter 15.1mm pads, 2pcs diameter 12mm pads and 11pcs diameter 10mm pads.	

Specification of Piccolo pads

S.N.	Parameters	Technical Specification	Remarks
1	Colour	Premium, Yellow, Double Bladder Piccolo Pads	
2	Package include	Includes mini LED leak light for individual pad leak detection	
3	Pad thickness:	2.0mm±0.1mm	

Specification of Flute pads

S.N.	Parameters	Technical Specification	Remarks
1	Diameter	18.0 mm	
2	Thickness	2.5 mm	
3	Hole	4.0 mm	
4	Package includes	Mini Leak Light, Key Oil, Stainless Steel Springs, Head cork	

Specification of Alto Saxophone pads

S.N.	Parameters	Technical Specification	Remarks
1	Diameter	8mm-37mm	
2	Cushion Features	Delicate leather, long service life. Basically suitable for all Alto saxophone,	
3	Size	8mm-37mm/0.31-1.46"	
4	Weight	34.45 g	
5	Package includes	28pcs/Set Pads Sax Leather Pad for Saxophone	

Specification of 14" Side Drum Skin

S.N.	Parameters	Technical Specification	Remarks
1	Weight-	7 ounces	
2	Product Dimensions	15 x 1.11 x 15	
3	Color Name	Transparent/ clear	
4	Size	14 Inch Percussion	
5	Diameter	14 Inches	

Specification of 23" Bass Drum Skin

S.N.	Parameters	Technical Specification	Remarks
1	Colour	Transparent/ Clear	
2	Type Of Head	Single Ply	
3	Finish	Smooth	
4	Damper Ring	Yes	
5	Dot	No	
6	Size	23" Transparent, damping ring sprayed white	

[Handwritten signatures and initials are present below the table, including names like 'Gony', 'TANER', and others.]

Specification of 24.5" Bass DrumSkin

S.N.	Parameters	Technical Specification	Remarks
1	Colour	Transparent/clear	
2	Type Of Head	Single Ply	
3	Finish	Smooth	
4	Damper Ring	Yes	
5	Dot	No	
6	Size	24.5" Transparent, damping ring sprayed white	

Specification of 28" Bass DrumSkin

S.N.	Parameters	Technical Specification	Remarks
1	Item Weight	3.95 pounds±0.5 Pounds	
2	Product Dimensions	28.6 x 0.71 x 28.6 inches	
3	Size	28 Inch	

Specification of Bass Drum Sling

S.N.	Parameters	Technical Specification	Remarks
1	width	2 1/2" (to offer more comfort on the shoulder)	
2	Package includes	Chrome Buckle & fittings Solid D-Ring design Fully adjustable sling position for most ages/sizes	
3	Buckle position	can be moved (3 positions) to offer more uniformity of where the Buckle sits on each member of the Corps of Drums	
4	Color	White/ Brown	

Specification of Drum Set Tom Tom Skin

S.N.	Parameters	Technical Specification	Remarks
1	Bass Drums	22"x16" ±4"	
2	tom toms	10"x7" & 12"x8" ±4"	
3	floor toms	14"x13" & 16"x15" ±4"	
4	snare drum.	14"x5" ±4"	

Specification of Keyboard AC Power Adaptor

S.N.	Parameters	Technical Specification	Remarks
1	Input	AC voltage 120V, 60 Hz	
2	Output	DC12V 1.0A	
3	Cable length	8' 4" (2.54 Meters) ±2' 4"	

Specification of Keyboard Cable

S.N.	Parameters	Technical Specification	Remarks
1	24 AWG Oxygen	free copper	
2	Color	Red/Black/ Brown	
3	Length	10 feet (± 4 feet)/3meters	
4	Connectors	6.3mm gold plug, 1/4" Straight to 'L' shape	
5	Plug material	Rubber & Metal Mercerized cotton Jacket: Advanced Mercerized Cotton Woven Jacket	

Specification of Gas Burner Pipe

S.N.	Parameters	Technical Specification	Remarks
1	Material	Mild Steel	
2	Shape	Round	
3	Type	Burner Pipe for Single Burner LPG Gas Stove	
4	Gauge	24	

Specification of Hammer

S.N.	Parameters	Technical Specification	Remarks
1	Size	25, 30, 40, 50 and 100 mm	
2	Material	Soft Faced - 25 mm Plastic Hammer- 30 mm Ball Peen Hammer- 40 mm Claw Hammer-50 mm Spare Mallets-100 mm	

Specification of Hacksaw Blade

S.N.	Parameters	Technical Specification	Remarks
1	Product Dimensions	32 x 7.5x 2.5 cm	
2	Manufacturer	Stanley	
3	Item Weight	71.2(± 4) g	
4	Item Dimensions LxWxH	32 x 7.5 x 2.5 Centimeters	

Specification of Screwdriver Set

S.N.	Parameters	Technical Specification	Remarks
1	Handle Material	Plastic, PP+TPR	
2	Packing	label	
3	Packing Size	14.5x10.5x3.5cm	
4	Weight	200(± 10) g	
5	Surface Treatment	sandblasting	
6	Techincs	heat-treat, electroplate	
7	Application	repair tool	
8	Sample	free	
9	OEM	accept	
10	Color	black/yellow	
11	Bits Material	CRV 6150	
12	HRC	50-56°	
13	Size	1pc-4x60mm long shaft 1pc- precision handle 24pcs- 4.0x28mm CR-V bits: 1.5,2.0,2.5,3.0x3mm; PH000,PH00,PH0,PH1x3; T6,T7,T8,T9,T10,T15,T20; H1.5,H2.0,H2.5,H3.0,H4.0	

Specification of Plier (Panchiss)

S.N.	Parameters	Technical Specification	Remarks
1	Set Type	Assortment	
2	Number of Pieces	4	
3	Container Type	Display Card	
4	Contents	6" Long Nose, 6" Slip Joint, 10" Adjustable Wrench, 10" Groove Joint	
5	Additional Information	Long Nose, Slip Joint, Adjustable Wrench, Groove Joint	

[Handwritten signatures and initials in blue and black ink, including a green '1/1' mark.]

Specification of Big Bit Combination Screwdriver Set (Martool Big)

S.N.	Parameters	Technical Specification	Remarks
1	Package includes	24 screwdriver bits magnetic	
2	Packaging	Plastic tube with sticker and euro hole	
3	Dimensions(LxWxH)	170mm x 50mm x 50mm	
4	Weight	240 (± 10)g	

Specification of Scissors (kaichi)

S.N.	Parameters	Technical Specification	Remarks
1	Size/Dimension	8"	
2	Color	Red/black/brown	
3	Usage/Application	Home	
4	Material	Mild Steel	
5	Minimum Order Quantity	10 Piece	

Specification of Tool Box

S.N.	Parameters	Technical Specification	Remarks
1	Hammer with Vinyl Face	1pc	
2	Double Ended Spring Bar	1pc	
3	Tweezers	1pc	
4	Case Back Opener	1pc	
5	Pin Punches	2pc - 0.7 & 0.8mm each	
6	Precision Screwdrivers:	4pc	
7	Slotted	1.0, 1.2 and 1.4 mm	
8	Phillips	1.6mm	
9	Watchband Holder	1pc	
10		Link Remover	
11		Should include a Color Box to contain all items	

Specification of Mini Gas Cylinder

S.N.	Parameters	Technical Specification	Remarks
1	Height	230mm	
2	Nominal Diameter	215mm	
3	Capacity	4.8L	
4	Gross Weight	2.46KG	
5	Material	HP295	
6	Wall Thickness	1.6mm	
7	Test Pressure	3.2Bar	
8	Work Pressure	2.1Bar	
9	Ambient Temperature	-40~60°C	
10	PCS /40'HQ	5141	

Specification of Nairsinga Rasayen

S.N.	Parameters	Technical Specification	Remarks
1	Nairsinga Rasayen	As for as Sample	

Specification of Iron Ring Roll

S.N.	Parameters	Technical Specification	Remarks
1	Length:	300mm	
2	Width:	50mm	
3	Depth/Height:	25mm	
4	Material:	Cast Iron	

Specification of Pittal Pata(Brown Sheet)

S.N.	Parameters	Technical Specification	Remarks
1	Material	Brass	
2	Finishing Type	Polish	
3	Usage/Application	Construction	
4	Thickness	0.7 mm to 6 mm	
5	Shape	Rectangular	

Specification of Silver Granule (Plated)

S.N.	Parameters	Technical Specification	Remarks
1	Metal	Silver	
2	Fineness	(99.7 or more)	
3	Weight	1 Kg	
4	Usage	Plated for musical instruments	

Specification of Mcell Glue(Astral Bondset Fast Setting Adhesive)

S.N.	Parameters	Technical Specification	Remarks
1	Grade Standard	Industrial Grade	
2	Packaging Size	all	
3	Form	Paste/Putty	
4	Packaging Type	Box	

Specification of Rang

S.N.	Parameters	Technical Specification	Remarks
1	Rang	As for as Sample	

Specification of Tejab(Sulphuric Acid soft)

S.N.	Parameters	Technical Specification	Remarks
1	Tejab(Sulphuric Acid soft)	As for as Sample	

Specification of Bending wire(tighten Iron Wire)

S.N.	Parameters	Technical Specification	Remarks
1	Bending wire(tighten Iron Wire)	As for as Sample	


 A series of handwritten signatures and initials in black ink, including names like 'Gony', 'SA', 'T', 'R', 'K', 'V', and 'H'.