


Technical Specifications for Web Equipment Set

S.N	Parameters	Specification	Remarks
1	Features	Web Equipment must be water resistant.	
		All metallic parts except Aluminum Canteen must be black enamel coated and rust proof.	
		Design and all other relevant features/items including cords, fasteners, eyelids, rings, buckles, dimensions, sizes and weight will be as per sample provided by the Nepali Army.	
Field Pack			
2	Dimension	Length-14.5" ± 5 %	
		Breadth-9.5"± 5 %	
		Height-23"± 5 %	
Pockets			
3	03x Front Outside Pocket.	(H=8", Circumference=15")	
4	02x Side Outside Pocket.	(H=11", Circumference=12")	
5	01x Inner Radio Pocket	(H=12", Circumference=38")	
6	Features	01x Waterproof Flap with Velcro Pocket.	
		01x Field Pack Metallic Frame.	
		02xPadded Shoulder Strap (Left Shoulder Strap with Quick Release Buckle and both strap joints with main pack reinforcement stitching).	
		01xBack Strap with Buckle Belt	
Outer Material			
7	Material	Minimum 1000 Denier Cordura Nylon	
8	Gram per Sq Metre (GSM)	310 ± 10	
9	Water Resistance	Minimum Grade 4	
10	Color fastness to rubbing	Dry – 4/5	
		Wet – 3/4	
11	Color fastness to washing	Minimum 5	
12	Tensile strength	Length- Minimum 280 lbf	
		Width- Minimum 200 lbf	
13	Tear strength	Length-Minimum 60 lbf	
		Width-Minimum 40 lbf	
15	Colour	Olive Green	
Inner Material			
16	Material	Nylon	
17	Gram per Sq Metre (GSM)	Minimum 100	
18	Water Resistance	Minimum Grade 4	
19	Color fastness to rubbing	Dry – 4/5	
		Wet – 3/4	
20	Color fastness to washing	Minimum 4	
21	Colour	Olive green	
Aluminum Frame			
22	Density	Minimum 2.7 gram per cubic Centimeter	

23	Outer diameter	16mm ± 1 %	
24	Thickness	1.2 mm ± 1 %	
25	Material	Aluminium Alloy	
26	Total weight	1.5 ± 0.1 kg	
27	Shape of Frame	As per sample	
28	Equivalent Alloy	ENAW 6005, AA6005, DINAlMgSi0.7, IS62400, C515 or Equivalent	
Webbing Set.			
01x Individual Equipment Belt.			
29	Length	Minimum-132 cm	
30	Width	Minimum-5.5 cm	
31	Thickness	Minimum 0.3 cm	
32	Eyelets	20 pairs in two row (difference between one hole to another should be in equal distance), Anti rustic metal galvanized in black color	
33	Material	Minimum 99% Nylon Tight Knitting	
34	Metal	Anti rustic metal galvanized in black color	
35	Color	Olive Green	
36	Locking Mechanism	Hook system (As per sample)	
01x Belt Suspenders Set.			
37	Material	Minimum 99% Polyester	
38	Snap Hook	Rust proof Metal	
02 x Small Arms Ammunition Pouch			
39	Size	(L=3.5", B=2.5", H=8") ± 5 % tolerance with Grenade Pockets in both sides.	
40	Features	Flap Cover with SR Buckle Lock	
Water Bottle with Aluminum Canteen and case			
41	Bottle Material	Plastic	
42	Bottle Design	As per Sample	
43	Bottle Capacity	1 Liters	
01 x Aluminum Canteen			
44	Material	Aluminum	
45	Shape	Profile to fit 1 Liter Water Bottle as mentioned Above	
46	Height	95 mm ± 1 mm	
47	Thickness	Minimum 1.5 mm	
48	Handle	Material : Steel, Diameter : Minimum 4mm, Shape : Rectangular 75 mm x 45 mm (tolerance 5 %), Foldable	
01 x Water Bottle and Aluminum Canteen case			
49	Material Outer	Nylon	
50	Material Inner	100 % Polyester Fur	
01 x First Field Dressing Case			
51	Material	Nylon	
52	Size	(L=5.5", B=4.5") ± 5 % tolerance	

01x Compass Case.			
53	Material	Nylon	
54	Size	(L=5.5", B=4.5") ± 5 % tolerance	
01 x Detachable Small Pack			
55	Material	Nylon	
56	Size	(L=10", B=5.5", H=9.5") ± 5 % tolerance	
01x Belt Hanger for Bayonet.			
57	Material	Polyster	
Features			
58	All items except Bayonet Hanger should be attachable with Belt using Metal Clips.		
Terms and Conditions			
59	Standard	ISO or Equivalent	
60	Warranty	Minimum 1 year/ Provided by OEM whichever is greater	


 A series of handwritten signatures and initials in black ink, including a large 'A' on the left, a signature that appears to be 'Cay...', and several other illegible signatures and initials on the right.